

Datasheet: AHP3044

BATCH NUMBER 160727

Description:	RABBIT ANTI HUMAN HISTONE H2A.J
Specificity:	HISTONE H2A.J
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/500 - 1/2500
Immunoblotting				1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

	,	
Target Species	Human	
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to further information.	eviewed publications or
Product Form	Purified IgG - liquid	
Antiserum Preparation	Antiserum to human histone H2A.J was raised by repeated im highly purified antigen. Purified IgG was prepared from whole chromatography.	
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.035% Sodium Azide (NaN ₃)	

30%	Glycerol	

	•
Carrier Free	Yes
Immunogen	A peptide comprising amino acids 122-129 of human histone H2A.J
External Database Links	UniProt: Q9BTM1 Related reagents Entrez Gene: 55766 H2AFJ Related reagents
Specificity	Rabbit anti Human histone H2A.J antibody recognizes histone H2A.J.
	Histone H2A.J is a 16 kDa variant of the H2A histone. Histones are nuclear proteins that regulate the nucleosome structure of the chromosomal fibres in eukaryotic cells. Nucleosomes are the smallest subunit of chromatin and are made up of 146 bp of DNA wrapped around an octamer comprised of pairs of the four core histones (H2A, H2B, H3, and H4) (Smith, 1991). Histone H2A.J may be linked to senescence and upregulation of the expression of inflammatory genes. Histone H2A.J may therefore play a role in chronic inflammation and age-related diseases (Takana et al. 2020).
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP3044 10049
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com 'M394875:220218' Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint