

# Datasheet: AHP3069 BATCH NUMBER 160796

Description:	RABBIT ANTI HUMAN HISTONE H4
Specificity:	HISTONE H4
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/500 - 1/2000
Chromatin	_			2 μl per ChIP - 10 μl per
Immunoprecipitation	-			ChIP

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid

Antiserum Preparation Antiserum to human histone H4 was raised by repeated immunization of rabbits with

highly purified antigen. Purified IgG was prepared from whole serum by affinity

chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.035% Sodium Azide (NaN <sub>3</sub> ) 30% Glycerol
Carrier Free	Yes
Immunogen	A peptide corresponding to amino acids 43- 54 of human histone H4

# **External Database**

Links

**UniProt:** 

P62805 Related reagents

**Entrez Gene:** 

554313 HIST2H4B Related reagents

**Synonyms** 

H4/A, H4/B, H4/C, H4/D, H4/E, H4/G, H4/H, H4/I, H4/J, H4/K, H4/M, H4/N, H4/O, H4F2, H4FA, H4FB, H4FC, H4FD, H4FE, H4FG, H4FH, H4FI, H4FJ, H4FK, H4FM, H4FN, H4FO, HIST2H4

Specificity

Rabbit anti Human histone H4 antibody recognizes histone H4.

Histone H4 is one of the four core histones that make up the nucleosome core particle. Nucleosomes are the smallest subunit of chromatin and are made up of 146 bp of DNA wrapped around an octamer comprised of pairs of the four core histones (H2A, H2B, H3, and H4) (Smith, 1991). Histone H4 is important for the regulation of the structure and function of chromatin. The sequence variants and variable modification states of histone H4 are thought to play a role in both long-term and short-term regulation of genes (Huang et al. 2005) (Taylor et al. 2013).

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

**Health And Safety** Information

Material Safety Datasheet documentation #10049 available at:

https://www.bio-rad-antibodies.com/SDS/AHP3069

10049

Regulatory

For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Sheep Anti Rabbit IgG (STAR35...) **RPE** 

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody sales us@bio-rad.com

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Email: antibody sales uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint