

Datasheet: AHP3074

BATCH NUMBER 160829

Description:	RABBIT ANTI ASYMMETRIC-DI-METHYL-HISTONE H4 (Arg3)
Specificity:	ASYMMETRIC DI-METHYL-HISTONE H4 (Arg3)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

## **Product Details**

### **Applications**

**Product Form** 

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/500 - 1/2000
Immunoblotting				1/2500

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross	Based on sequence similarity, is expected to react with:Broad
Reactivity	N.B. Antibody reactivity and working conditions may vary between

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Purified IgG - liquid

**3** - 1

Antiserum Preparation Antiserum to asymmeric-di-methyl-histone H4 (Arg3) was raised by repeated immunization of rabbits with highly purified antigen. Purified IgG was prepared from whole

serum by affinity chromatography on Protein A.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.035% Sodium Azide (NaN <sub>3</sub> )

	30% Glycerol
Carrier Free	Yes
Immunogen	A synthetic peptide containing asymmetrically di-methylated Arg3 of human histone H4
External Database Links	UniProt: P62805 Related reagents  Entrez Gene: 554313 HIST2H4B Related reagents
Synonyms	H4/A, H4/B, H4/C, H4/D, H4/E, H4/G, H4/H, H4/I, H4/J, H4/K, H4/M, H4/N, H4/O, H4F2, H4FA, H4FB, H4FC, H4FD, H4FE, H4FG, H4FH, H4FI, H4FJ, H4FK, H4FM, H4FN, H4FO, HIST2H4
Specificity	Rabbit anti Human asymmetric di-methyl-histone H4 (Arg3) antibody recognizes histone H4 when asymmetrically di-methylated at arginine 3.
	Histone H4 is one of the four core histones that make up the nucleosome core particle. Nucleosomes are the smallest subunit of chromatin and are made up of 146 bp of DNA wrapped around an octamer comprised of pairs of the four core histones (H2A, H2B, H3, and H4) (Smith, 1991). Histones can be mono-, di- or tri-methylated by histone methyltransferases (HMTs). Depending on which amino acid residues are methylated, methylation of histones may increase or decrease the transcription of genes. Methylation events that weaken the binding between histone tails and DNA lead to increased transcription because they make the DNA more accessible to transcription factor proteins and RNA polymerase. Methylation of histones is therefore crucial for the regulation of gene expression (Gupta et al. 2010). Histone H4 may be asymmetrically di-methylated at arginine 3 by the PRMT methyltransferases PRMT1 and PRMT6, an event that normally leads to transcriptional activation by nuclear hormone receptors (Schiza et al. 2013).
	Wide species cross-reactivity is expected from Rabbit anti Human asymmetric di-methyl-histone H4 (Arg3) antibody based on sequence.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch

Material Safety Datasheet documentation #10049 available at:

https://www.bio-rad-antibodies.com/SDS/AHP3074

**Health And Safety** 

Information

**Regulatory** For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\textbf{Email: antibody\_sales\_us@bio-rad.com} \\ \textbf{Email: antibody\_sales\_uk@bio-rad.com} \\ \textbf{Email: antibody\_sales\_uk@b$ 

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M394897:220218'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint