Datasheet: AHP3085 BATCH NUMBER 160778

Description:	RABBIT ANTI MOUSE NANOG
Specificity:	NANOG
Format:	Purified
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	0.1 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/proto	Yes	No	Not Determined	Suggested Dilution	
	Western Blotting	103	NO	Not Determined	0.5 µg/ml - 2 µg/ml	
	Immunofluorescence	•			1/200	
	Chromatin Immunoprecipitation	•			5 µl per ChIP	
	Where this product has necessarily exclude its u a guide only. It is recomi system using appropriate	ise in sucł mended th	n procedur nat the use	res. Suggested working er titrates the product for	g dilutions are given as	
Target Species	Mouse					
Species Cross Reactivity	Reacts with: Human N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG - liquid					
Antiserum Preparatio	n Antiserum to mouse NA purified antigen. Purified		-	•	•••	
Buffer Solution	Phosphate buffered salir	ne				
Preservative	0.035% Sodium Azide (I	NaN ₃)				

Stabilisers	30% Glycerol			
Carrier Free	Yes			
Immunogen	A peptide within the N-terminal region of mouse NANOG			
External Database Links	UniProt: <u>Q80Z64</u> <u>Related reagents</u> Entrez Gene: <u>71950</u> Nanog <u>Related reagents</u>			
Synonyms	Ecat4, Enk			
Specificity	Rabbit anti Mouse NANOG antibody recognizes homeobox protein NANOG, otherwise known as homeobox transcription factor NANOG.			
	NANOG plays a role in the proliferation and self-renewal of embryonic stem (ES) cells and prevents their differentiation towards extraembryonic endoderm and trophectoderm lineages (<u>Barral <i>et al.</i> 2019</u>). Overexpression of NANOG has been shown to promote cells to enter into S phase and proliferation (<u>Sainz de Aja <i>et al.</i> 2019</u>).			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/AHP3085 10049			
Regulatory	For research purposes only			

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34)	<u>FITC</u>				
Sheep Anti Rabbit IgG (STAR35)	<u>RPE</u>				
Goat Anti Rabbit IgG (H/L) (STAR124) <u>HRP</u>					
Goat Anti Rabbit IgG (Fc) (STAR121) Biotin, FITC, HRP					

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com 'M394908:220218'

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint

Email: antibody_sales_us@bio-rad.com