

Datasheet: AHP355G BATCH NUMBER 164849

Description:	RABBIT ANTI HUMAN TNF BETA
Specificity:	TNF BETA
Other names:	LT-ALPHA
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	•			0.5ug/ml
Immunoprecipitation				
Western Blotting	•			0.1 - 0.2ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - lyophilized	
Reconstitution	Reconstitute with 0.1ml distilled water . For long term storage sodium azide is recommended.	the addition of 0.09%
Antiserum Preparation Antisera to human TNF-beta were raised by repeated immuni purified antigen. Purified IgG prepared by antigen affinity chro		• •
Buffer Solution	Phosphate buffered saline	
Preservative	None present	

Stabilisers Carrier Free Yes Approx. Protein IgG concentration 1.0 mg/ml Concentrations Immunogen Recombinant human TNF-beta. **External Database UniProt:** Links P01374 Related reagents **Entrez Gene:** 4049 LTA Related reagents **Synonyms** TNFB, TNFSF1 **RRID** AB 2138634 Rabbit anti Human TNF beta antibody recognizes human tumour necrosis factor beta **Specificity** (TNF-beta), also known as lymphotoxin alpha (LT-alpha), an 18.6 kDa homotrimeric polypeptide secreted by activated T and B lymphocytes, which binds to the TNF receptors TNFR1, TNFR2 and HVEM (herpes virus entry mediator receptor). TNF-beta was originally isolated due to its cytotoxic effects on tumour cells, and has since been identified as a regulator of many cellular processes and a potent mediator of inflammation and immune responses against invading pathogens. References 1. Pfeffer, K. (2003) Biological functions of tumor necrosis factor cytokines and their receptors. Cytokine Growth Factor Rev. 14 (3-4): 185-91. **Storage** Prior to reconstitution store at -20°C. After reconstitution store at -20°C. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody.

Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Material Safety Datasheet documentation #10294 available at:

10294

https://www.bio-rad-antibodies.com/SDS/AHP355G

Regulatory For research purposes only

Related Products

Information

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M399123:220628'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint