

Datasheet: AHP442

BATCH NUMBER 160927

Description:	RABBIT ANTI HUMAN CD184 / CXCR4
Specificity:	CD184 / CXCR4 (N-TERMINAL)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting	▪			1/1000 - 1/2000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Human

Product Form

Purified IgG - liquid

Preparation

Purified IgG prepared by affinity chromatography

Antiserum Preparation

Antisera to human CD184 / CXCR4 were raised by repeated immunisation of rabbits with highly purified antigen.

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.02% Sodium Azide (NaN₃)

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Peptide sequence corresponding to amino acids 1-14 of human CD184 / CXCR4.
External Database Links	<p>UniProt: P61073 Related reagents</p> <p>Entrez Gene: 7852 CXCR4 Related reagents</p>
RRID	AB_322743
Specificity	Rabbit anti Human CD184 / CXCR4 antibody recognizes the human G-protein-coupled chemokine receptor CD184, also known as CXCR4. CD184 is a 352 amino acid ~40 kDa cell surface protein known to act as a co-factor in HIV infection of CD4 ⁺ T cells (Bleul et al. 1997). Mutations in the CD184 gene are associated with WHIM syndrome (WHIMS), an inherited combined immunodeficiency disease (Taniuchi et al.).
References	<ol style="list-style-type: none"> 1. Nguyen, D.H. and Taub, D. (2002) CXCR4 function requires membrane cholesterol: implications for HIV infection. J Immunol. 168: 4121-6. 2. Zaitseva, M. et al. (2005) Increased CXCR4-dependent HIV-1 fusion in activated T cells: role of CD4/CXCR4 association. J Leukoc Biol. 78: 1306-17. 3. Moll, N.M. et al. (2009) Imaging correlates of leukocyte accumulation and CXCR4/CXCL12 in multiple sclerosis. Arch Neurol. 66: 44-53. 4. Rubie, C. et al. (2008) Differential CXC receptor expression in colorectal carcinomas. Scand J Immunol. 68: 635-44. 5. Rubie, C. et al. (2006) Chemokine expression in hepatocellular carcinoma versus colorectal liver metastases. World J Gastroenterol. 12: 6627-33. 6. Oliveira Frick, V. et al. (2011) Changes in CXCL12/CXCR4-chemokine expression during onset of colorectal malignancies. Tumour Biol. 32: 189-96. 7. Omland, S.H. et al. (2017) Cancer associated fibroblasts (CAFs) are activated in cutaneous basal cell carcinoma and in the peritumoural skin. BMC Cancer. 17 (1): 675.
Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP442 10040

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)

Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Sheep Anti Rabbit IgG (STAR35...) [RPE](#)

Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M380386:210511'

Printed on 25 Mar 2023
