

Datasheet: AHP568 BATCH NUMBER 162120

Description:	RABBIT ANTI HUMAN CD195 (CCR5)
Specificity:	CD195
Other names:	CCR5
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen				
Immunohistology - Paraffin (1)	•			20 ug/ml
ELISA			•	
Immunoprecipitation				
Western Blotting	•			1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

Target Species	Human			
Product Form	Purified IgG - liquid			
Antiserum Preparation Antiserum to CCR5 was raised by repeated immunization of rabbit with highly purifi antigen. Purified IgG was prepared from whole serum by affinity chromatography.				
Buffer Solution	Phosphate buffered saline			

Preservative Stabilisers	0.02% Sodium Azide	
Approx. Protein Concentrations	IgG concentration 1 mg/ml	
Immunogen	Peptide corresponding to amino acids 6 to 20 of human CCR5	
External Database Links	UniProt: P51681 Related reagents	
	Entrez Gene: 1234 CCR5 Related reagents	
Synonyms	CMKBR5	
RRID	AB_323419	
Specificity	Rabbit anti Human CD195 antibody recognizes the N-termin receptor CCR5, also known as CD195. CCR5 is a receptor for RANTES, MIP-1alpha and MIP-1beta.	· ·
Histology Positive Control Tissue	Human lymph node.	
References	 Mi, Z. et al. (2011) Osteopontin Promotes CCL5-Mesenchyn Breast Cancer Metastasis. <u>Carcinogenesis</u>. 32: 477-87. Ghosh, R. et al. (2013) Study of CC chemokine receptor 5 in <u>Indian J Nephrol</u>. 23: 196-200. 	
Storage	This product is shipped at ambient temperature. It is recomme -20°C on receipt. When thawed, aliquot the sample as needed short term use (up to 4 weeks) and store the remaining aliquot	. Keep aliquots at 2-8°C for
	Avoid repeated freezing and thawing as this may denature the frost-free freezers is not recommended.	antibody. Storage in
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP568 10040	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR36...) DyLight®488, DyLight®680, DyLight®800

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Recommended Useful Reagents

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385980:210513'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint