

# Datasheet: AHP605 BATCH NUMBER 170703

Description:	RABBIT ANTI HUMAN CIKS (C-TERMINAL)		
Specificity:	CIKS (C-TERMINAL)		
Other names:	TRAF3IP2		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.1 mg		

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA				
Immunoprecipitation			•	
Western Blotting	•			1ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid

**Antiserum Preparation** Antisera to human CIKS (CT) were raised by repeated immunisation of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide
Approx. Protein	IgG concentration 1 mg/ml

#### Concentrations

Immunogen	Synthetic peptide corresponding to amino acids 554-568 of human CIKS.
External Database Links	UniProt:  O43734 Related reagents  Entrez Gene:  10758 TRAF3IP2 Related reagents
Synonyms	C6orf2, C6orf4, C6orf5, C6orf6
RRID	AB_323643
Specificity	Rabbit anti Human CIKS antibody recognizes an epitope within the c-terminal region of the CIKS molecule (for connection to IKK and SAPK/JNK), also known as Act 1. CIKS has been shown to interact directly with the regulatory subunit of I Kappa Kinase (IKK), resulting in the activation of NF kB. CIKS/Act 1 is ubiquitously expressed in human tissues. A band of approximately 63 kDa is detected by Rabbit anti Human CIKS antibody by western blotting.
Further Reading	1. Leonardi, A. <i>et al.</i> (2000) CIKS, a connection to Ikappa B kinase and stress-activated protein kinase. Proc Natl Acad Sci U S A. 97 (19): 10494-9.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP605">https://www.bio-rad-antibodies.com/SDS/AHP605</a> 10040
Regulatory	For research purposes only

# **Related Products**

# **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

## **Recommended Useful Reagents**

## TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364263:200529'

## Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint