

# Datasheet: AHP647 BATCH NUMBER 290515

Description:	GOAT ANTI HUMAN NCF1	
Specificity:	NCF1	
Other names:	Neutrophil cytosol factor 1	
Format:	Purified	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	0.1 mg	

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation			•	
Western Blotting	•			0.2ug/ml - 2ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Pig Based on sequence similarity, is expected to react with:Bovine, Dolphin, Rat, Mouse, Rabbit  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

Antiserum Preparation Antisera to NCF1 were raised by repeated immunisations of goats with highly purified

antigen. Purified IgG was prepared from whole serum by affinity chromatography.

Buffer Solution	TRIS buffered saline
Preservative	0.02% Sodium Azide
Stabilisers	0.5% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Peptide sequence CSESTKRKLASAV corresponding to the C-terminus of NCF1 (NP_000256).
External Database Links	UniProt: P14598 Related reagents  Entrez Gene: 653361 NCF1 Related reagents
Synonyms	NOXO2, SH3PXD1A
RRID	AB_2150282
Specificity	Goat anti Human NCF1 antibody recognizes neutrophil cytosolic factor 1 (NCF1), a □47 kDa cytosolic subunit of the multi-protein complex known as NADPH oxidase. Expression of NCF1 is restricted to granulocytes, monocytes and B lymphocytes. Defects in NCF1 have been reported to be a cause of autosomal recessive chronic granulomatous disease.
Western Blotting	AHP647 detects a band of approximately 47kDa in U937 cell lysates. A minimum incubation time of 1 hour is recommended with this antibody.
References	1. Davidson-Moncada, J. K. <i>et al.</i> (2002) Involvement of protein kinase D in Fc gamma-receptor activation of the NADPH oxidase in neutrophils. <u>Biochem. J. 363: 95-103.</u>
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP647">https://www.bio-rad-antibodies.com/SDS/AHP647</a> 10058

## **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364270:200529'

#### Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint