

Datasheet: AHP766

BATCH NUMBER 173998

Description:	RABBIT ANTI HUMAN CXCL13
Specificity:	CXCL13
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			0.5ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1 - 0.2ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - lyophilized
Reconstitution	Reconstitute with 0.1ml distilled water. For long term storage the addition of 0.09% sodium azide is recommended.
Antiserum Preparation	Antisera to human CXCL13 were raised by repeated immunizations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present.

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml after reconstitution
Immunogen	Recombinant human CXCL13.
External Database Links	UniProt: O43927 Related reagents Entrez Gene: 10563 CXCL13 Related reagents
Synonyms	BCA1, BLC, SCYB13
RRID	AB_2088329
Specificity	Rabbit anti Human CXCL13 antibody recognizes human BCA-1 (B cell attractant chemokine), a 10.1 kDa CXC cytokine designated CXCL13, a potent chemoattractant for B lymphocytes expressed at high levels in the liver and to a lesser extent by lymph nodes, spleen, stomach, appendix and salivary glands. BCA-1 functions as a ligand for Burkitt's lymphoma receptor 1 (BLR-1), a chemokine receptor designated CXCR5, expressed by all mature B lymphocytes.
ELISA	This purified human CXCL13 antibody may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with biotinylated human CXCL13 antibody (AHP766B) as the detection reagent.
References	1. Gunn, M.D. <i>et al.</i> (1998) A B-cell-homing chemokine made in lymphoid follicles activates Burkitt's lymphoma receptor-1. Nature. 391: 799-803.
Storage	This product is shipped at ambient temperature. Prior to reconstitution store at -20°C. After reconstitution store at -20°C. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10294 available at: https://www.bio-rad-antibodies.com/SDS/AHP766
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Sheep Anti Rabbit IgG (STAR35...) [RPE](#)

Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Recommended Useful Reagents

[TidyBlot WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M439221:250523'

Printed on 27 Aug 2026

© 2026 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)