Datasheet: AHP770 BATCH NUMBER 149981

Description:	RABBIT ANTI HUMAN FIt3 LIGAND			
Specificity:	Flt3 LIGAND			
Format:	Purified			
Product Type:	Polyclonal Antibody			
Isotype:	Polyclonal IgG			
Quantity:	0.1 mg			

Product Details

Applications	This product has been re derived from testing withi communications from the information. For general p <u>rad-antibodies.com/proto</u> Flow Cytometry Immunohistology - Frozen	n our labo originatoi protocol re	ratories, p rs. Please	eer-reviewed publica refer to references in	tions or personal dicated for further	
	Immunohistology - Paraffin			•		
	ELISA	•			0.5ug/ml	
	Immunoprecipitation			•		
	Western Blotting	-			0.1 - 0.2ug/ml	
	Functional Assays Where this product has n	•	- 4 1 6	:	0.25 - 0.75ug/ml	
Target Species	a guide only. It is recomn system using appropriate Human				or use in their own	
Product Form	Purified IgG - lyophilised					
Reconstitution	Reconstitute with 0.1ml distilled water. For long term storage the addition of 0.09% sodium azide is recommended. NB. For functional studies do not add azide.					
Antiserum Preparatio	n Antisera to human Flt3-L highly purified antigen. P	•	•			
Buffer Solution	Phosphate buffered salin	e				
Preservative	None present					

Stabilisers

Carrier Free	Yes				
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution				
Immunogen	Recombinant human Flt3-Ligand.				
External Database Links	UniProt: <u>P49771</u> Related reagents				
	Entrez Gene: <u>2323</u> FLT3LG <u>Related reagents</u>				
RRID	AB_2294114				
Specificity	Rabbit anti Human Flt3 Ligand antibody recognizes the ubiquitously expressed human growth factor Flt3-Ligand (Flt3L), a 235aa type I transmembrane glycoprotein which regulates the proliferation of early haematopoietic cells.				
	Flt3L exists in both a membrane-bound and proteolytically cleaved soluble isoform, both of which are biologically active, and initiates cell proliferation/ differentiation signalling in co-operation with other colony stimulating factors (CSFs) and interleukins, by binding to and activating the tyrosine kinase receptor Flt3 (FLT3R), expressed highly by hematopoietic progenitor cells and stem cells.				
Further Reading	 Graddis, T.J. <i>et al.</i> (1998) Structure-function analysis of FLT3 ligand-FLT3 receptor interactions using a rapid functional screen. <u>J Biol Chem. 273 (28): 17626-33.</u> Wodnar-filipowicz, A. <i>et al.</i> (1996) Flt3 ligand level reflects hematopoietic progenitor cell function in aplastic anemia and chemotherapy-induced bone marrow aplasia. <u>Blood. 88</u> (12): 4493-9. 				
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.				
	This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/AHP770 10162				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (H/L) (STAR124...)HRP

Recommended Useful Reagents

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M376184:210120'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint