

## Datasheet: AHP784B

Description:	RABBIT ANTI HUMAN MCP-1:Biotin
Specificity:	MCP-1
Other names:	CCL2
Format:	Biotin
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	50 µg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further						
	information. For general protocol recommendations, please visit www.bio-						
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin			•			
	ELISA	-			0.25 - 1.0ug/ml		
	Immunoprecipitation			•			
	Western Blotting	•			0.1 - 0.2ug/ml		
	Where this product has not been tested for use in a particular technique this does not						
	necessarily exclude its use in such procedures. Suggested working dilutions are given as						
	a guide only. It is recomn	a guide only. It is recommended that the user titrates the product for use in their own					
	system using appropriate negative/positive controls.						
Target Species	Human						
Product Form	Purified IgG conjugated t	o Biotin -	lyophilize	d			
Reconstitution	Reconstitute with 0.5ml sterile PBS containing 1% Bovine Serum Albumin. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution. For long term storage the addition of 0.09% sodium azide is recommended.						
Antiserum Preparatio	n Antisera to human MCP- purified antigen. Purified		•	•	0,1		
Buffer Solution	Phosphate buffered salin	е					

Preservative Stabilisers	None present.
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml after reconstitution.
Immunogen	Recombinant human MCP-1 ( <u>PHP061</u> ).
External Database Links	UniProt: <u>P13500</u> <u>Related reagents</u>
	Entrez Gene: 6347 CCL2 Related reagents
Synonyms	MCP1, SCYA2
RRID	AB_2071555
Specificity	<ul> <li>Rabbit anti Human MCP-1 antibody recognizes human MCP-1 (Monocyte Chemoattractant Protein 1), otherwise known as CCL2, a 76 amino acid CC chemokine which acts as a chemoattractant for monocytes, basophils, activated T cells and NK cells, through binding with the seven-transmembrane G protein-coupled receptor, CCR2.</li> <li>The recruitment of mononuclear cells by MCP-1, has established this chemokine as an important factor in innate immunity, implicated in the pathogenesis of inflammatory diseases such as rheumatoid arthritis, multiple sclerosis, uveitis and bronchial asthma.</li> <li>MCP-1 is linked with the polarization of activated T cells into the T helper 2 (Th2) subset, revealing a role for MCP-1 in the adaptive immune response.</li> <li>Rabbit anti Human MCP-1 antibody has been successfully used as a detection reagent in the development of a sensitive ELISA assay for the evaluation of MCP-1 expression in conjunction with Mouse anti Human MCP-1, clone 2.2-4A4-1A11 (MCA2486) and recombinant human MCP-1 (PHP061) as a calibration reagent.</li> </ul>
ELISA	This product may be used in a direct ELISA or as a detection reagent in a sandwich ELISA together with either <u>AHP784</u> or <u>MCA2486</u> as the capture reagent and <u>PHP061</u> as the standard
Western Blotting	This product may be used under either reducing or non-reducing conditions with <u>PHP061</u> as the positive control.
Further Reading	1. Banisor, I. <i>et al.</i> (2005) Involvement of beta-chemokines in the development of inflammatory demyelination. J Neuroinflammation. 2 (1): 7.
Storage	Prior to reconstitution store at -20°C. After reconstitution store at -20°C.

		hawing as this	e freezers is not may denature the antibody. crocentrifugation before use.			
Guarante	e	12 months from date of despatch				
Health And Safety InformationMaterial Safety Datasheet documentation #10  https://www.bio-rad-antibodies.com/SDS/AHP3 10294RegulatoryFor research purposes only						
		For research	n purpose			
North & South America	Fax: +1 919 878	3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50
To find a b		sales_us@bio-rad.c		Email: antibody_sales_uk@bio uct, please use our online 'M399224:220628'		Email: antibody_sales_de@bio-rad.com io-rad-antibodies.com/datasheet
				Printed on 12 Aug 2023		

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint