

# Datasheet: AHP851B BATCH NUMBER 157464

Description:	RABBIT ANTI BOVINE INTERLEUKIN-1 BETA:Biotin		
Specificity:	IL-1 BETA		
Format:	Biotin		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.25 mg		

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	•			1ug/ml - 10ug/ml
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Bovine
Species Cross Reactivity	Does not react with:Human, Mouse, Rat
Product Form	Purified IgG conjugated to Biotin - lyophilised
Reconstitution	Reconstitute with 1.0ml distilled water  Care should be taken during reconstitution as the antibody may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
Preparation	Purified IgG prepared by affinity chromatography on Protein G

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Approx. Protein Concentrations	IgG concentration 0.25mg/ml after reconstitution
Immunogen	Recombinant bovine IL-1 beta.
External Database Links	UniProt: P09428 Related reagents  Entrez Gene: 281251 IL1B Related reagents
RRID	AB_2124485
Specificity	Rabbit anti Bovine Interleukin-1 beta antibody recognizes bovine interleukin-1 beta (IL-1 beta).
	IL-1 beta is principally expressed by macrophages, and plays an important immunomodulatory role in the bovine immune response.
	Rabbit anti Bovine Interleukin-1 beta antibody recognizes both native and recombinant bovine IL-1 beta. No detectable cross-reactivity was observed with human, mouse or rat IL-1 beta.
ELISA	This anti interleukin-1 $\beta$ :biotin conjugate may be used in a direct ELISA or as the detection reagent in a sandwich ELISA with recombinant IL-1 $\beta$ ( <u>PBP008</u> ) as the standard and either Rabbit anti Bovine IL-1 $\beta$ ( <u>AHP851Z</u> ) or purified Mouse anti Ovine IL-1 $\beta$ ( <u>MCA1658</u> ) as the capture reagents.
References	<ol> <li>Wenz, J.R. <i>et al.</i> (2010) Factors associated with concentrations of select cytokine and acute phase proteins in dairy cows with naturally occurring clinical mastitis. J Dairy Sci. 93: 2458-70.</li> <li>Rinaldi, M. <i>et al</i> (2010) A sentinel function for teat tissues in dairy cows: dominant innate immune response elements define early response to <i>E. coli</i> mastitis. Funct Integr Genomics. 10: 21-38.</li> <li>Bougarn, S. <i>et al.</i> (2010) Muramyl dipeptide synergizes with Staphylococcus aureus lipoteichoic acid to recruit neutrophils in the mammary gland and to stimulate mammary epithelial cells. Clin Vaccine Immunol. 17 (11): 1797-809.</li> <li>Simojoki, H. <i>et al.</i> (2011) Innate immune response in experimentally induced bovine intramammary infection with Staphylococcus simulans and S. epidermidis. Vet Res. 42: 49.</li> <li>Harte, C. <i>et al.</i> (2017) Alum Activates the Bovine NLRP3 Inflammasome Frontiers in Immunology. 8 [Epub ahead of print].</li> </ol>

Regulatory	For research purposes only
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP851B">https://www.bio-rad-antibodies.com/SDS/AHP851B</a> 10162
Guarantee	12 months from date of despatch
Storage	Prior to reconstitution store at +4°C.  After reconstitution store at -20°C.  Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody.

# **Related Products**

America

# **Recommended Useful Reagents**

## RABBIT ANTI BOVINE INTERLEUKIN-1 BETA:Preservative Free (AHP851Z)

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700

> Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364333:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint