

Datasheet: AHP865 BATCH NUMBER 166654

Description:	GOAT ANTI PIG IgG (H/L)
Specificity:	IgG (H/L)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin				
ELISA	•			1/100 - 1/10,000
Immunoprecipitation			•	
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Pig
Product Form	Purified IgG - liquid

Antiserum Preparation Antisera to porcine IgG were raised by repeated immunisation of goats with highly purified

antigen. Purified IgG was prepared by affinity chromatography using antigen coupled to

agarose beads.

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Approx. Protein	laG concentration 1.0 mg/ml	

Concentrations

RRID	AB_2121737
Specificity	Goat anti Pig IgG (H/L) antibody recognizes porcine IgG (heavy and light chains) and has been shown to react specifically with porcine IgG and with light chains common to other pig immunoglobulins, by immunoelectrophoresis and ELISA.
	Goat anti Pig IgG (H/L) antibody may cross react with IgG from other species.
References	 Tian, F. et al. (2010) Immune Events Associated with High Level Protection against Schistosoma japonicum Infection in Pigs Immunized with UV-Attenuated Cercariae. PLoS One. 5(10): e13408. Lin, D. et al. (2011) Multiple vaccinations with UV- attenuated cercariae in pig enhance protective immunity against Schistosoma japonicum infection as compared to single vaccination. Parasit Vectors. 4:103. Olasz, F. et al. (2016) Immunological and biochemical characterisation of 7ap, a short protein translated from an alternative frame of ORF7 of PRRSV. Acta Vet Hung. 64 (2): 273-87. Rungelrath, V. et al. (2018) IgM cleavage by Streptococcus suis. reduces IgM bound to the bacterial surface and is a novel complement evasion mechanism. Virulence. 9 (1): 1314-1337. Grześkowiak, Ł. et al. (2022) Clostridioides difficile-mesocolonic oedema in neonatal suckling piglets develops regardless of the fibre composition in sow's diets. Animal. 17 (2): 100697.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP865 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

Email: antibody_sales_us@bio-rad.com

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M420781:230706'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | <u>Legal</u> | <u>Imprint</u>