

Datasheet: AHP905 BATCH NUMBER 170719R

Description:	RABBIT ANTI p38 MAPK (pThr180/pTyr182)	
Specificity:	p38 MAPK (pThr180/pTyr182)	
Format:	Purified	
Product Type:	Polyclonal Antibody	
Isotype:	Polyclonal IgG	
Quantity:	0.1 ml	

Product Details

	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
		•				
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin			•		
	ELISA			•		
	Immunoprecipitation			•		
	Western Blotting				1/1000	
	how we validate our Pre	cisionAl	b range.	Where this product ha		
Target Species	how we validate our Pre use in a particular techniq Further optimization may	cisionAl ue this d	b range. loes not n	Where this product ha necessarily exclude its	s not been tested for	
Target Species	how we validate our Pre use in a particular techniq	cisionAl ue this d	b range. loes not n	Where this product ha necessarily exclude its	s not been tested for	
Species Cross	how we validate our Pre use in a particular techniq Further optimization may	cisionAl ue this d be requir	b range. loes not n	Where this product ha necessarily exclude its	s not been tested for	
	how we validate our Pre use in a particular techniq Further optimization may Rat	cisionAl ue this d be requir /t	b range. loes not n red deper	Where this product han ecessarily exclude its andent on sample type.	s not been tested for use in such procedures.	
Species Cross	how we validate our Preuse in a particular techniq Further optimization may Rat Reacts with: Human, New	cisionAl ue this d be requir /t	b range. loes not n red deper	Where this product han ecessarily exclude its andent on sample type.	s not been tested for use in such procedures.	
Species Cross	how we validate our Preuse in a particular techniq Further optimization may Rat Reacts with: Human, New Based on sequence simila	cisionAl ue this d be requir <i>t</i> arity, is ex	b range. loes not n red deper	Where this product ha necessarily exclude its ndent on sample type.	s not been tested for use in such procedures. Zebrafish, Bovine,	
Species Cross	how we validate our Preuse in a particular techniqFurther optimization mayRatReacts with: Human, NewBased on sequence similaMonkey, Mouse, Dog	cisionAl ue this d be requir <i>r</i> t arity, is ex nd workir	b range. loes not n red deper xpected to	Where this product ha necessarily exclude its ndent on sample type. o react with:Chicken, z	s not been tested for use in such procedures. Zebrafish, Bovine, n species. Cross	
Species Cross	how we validate our Preuse in a particular techniq Further optimization may Rat Reacts with: Human, New Based on sequence simila Monkey, Mouse, Dog N.B. Antibody reactivity a	cisionAl ue this d be requir <i>t</i> arity, is e nd workir esting wi	b range. loes not n red deper xpected to ng conditi	Where this product han necessarily exclude its adent on sample type. o react with:Chicken, 2 ions may vary betweer aboratories, peer-revie	s not been tested for use in such procedures. Zebrafish, Bovine, n species. Cross ewed publications or	
Species Cross	how we validate our Preuse in a particular techniqFurther optimization mayRatReacts with: Human, NewBased on sequence similaMonkey, Mouse, DogN.B. Antibody reactivity atreactivity is derived from t	cisionAl ue this d be requir <i>t</i> arity, is e nd workir esting wi	b range. loes not n red deper xpected to ng conditi	Where this product han necessarily exclude its adent on sample type. o react with:Chicken, 2 ions may vary betweer aboratories, peer-revie	s not been tested for use in such procedures. Zebrafish, Bovine, n species. Cross ewed publications or	

Antiserum Preparation Antisera to phosphorylated rat p38 MAPK were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution	10mM HEPES pH7.5
Preservative	0.09% Sodium Azide
Stabilisers	0.01% Bovine Serum Albumin
	50% Glycerol
Immunogen	Synthetic phosphopeptide corresponding to an amino acid sequence within p38 MAPK which includes phosphorylated threonine180 and tyrosine 182.
External Database	
Links	UniProt:
	P70618 Related reagents
	Entrez Gene:
	81649 Mapk14 Related reagents
Synonyms	Csbp1, Csbp2
RRID	AB_567185
Specificity	 Rabbit anti Rat p38 MAPK (pThr180/pTyr182) antibody recognizes mitogen-activated protein kinase p38 (p38 MAPK), also known as mitogen-activated protein kinase 14 (MAPK 14), when phosphorylated at threonine 180 and tyrosine 182. p38 MAPK is a serine/threonine kinase which plays an important role in signal transduction, contributing to the regulation of many cellular processes including cell differentiation and inflammation.
	p38MAPK is activated by phosphorylation of threonine 180 and tyrosine 182, by several upstream kinases, in response to a wide range of extracellular stimuli such as UV B irradiation or endotoxin exposure.
Western Blotting	AHP905 recognises a band of approximately 39kD in Western blots of anisomycin C-6 glioma cell lysates.
References	 Yun, M.H. <i>et al.</i> (2014) Sustained ERK activation underlies reprogramming in regeneration-competent salamander cells and distinguishes them from their mammalian counterparts. <u>Stem Cell Reports. 3: 15-23.</u> Suzuki, K. and Namiki, H. (2012) Restraint of spreading-dependent activation of polymorphonuclear leukocyte NADPH oxidase in an acidified environment. <u>J Cell</u> <u>Biochem. 113: 899-910.</u>
Further Reading	1. Raingeaud, J. <i>et al.</i> (1995) Pro-inflammatory cytokines and environmental stress cause p38 mitogen-activated protein kinase activation by dual phosphorylation on tyrosine and threonine. J Biol Chem. 270 (13): 7420-6.

Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezin denature the antibody. Should this product contain a precipitate microcentrifugation before use.	
Guarantee	12 months from date of despatch	
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories	
Health And Safety Information	Material Safety Datasheet documentation #10088 available at: <u>https://www.bio-rad-antibodies.com/SDS/AHP905</u> 10088	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR124) <u>HRP</u>			
Sheep Anti Rabbit IgG (STAR35)	<u>RPE</u>		
Goat Anti Rabbit IgG (Fc) (STAR121)	Biotin, FITC, HRP		

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364360:200529'

Printed on 20 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint