

Datasheet: AHP906

Description:	RABBIT ANTI p53 (pSer392)
Specificity:	p53 (pSer392)
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

Product Details

RRID AB_567186

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			1/1000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species Human

Species Cross Reactivity Reacts with: Rat
Based on sequence similarity, is expected to react with: Monkey
N.B. Antibody reactivity and working conditions may vary between species.

Product Form Purified IgG - liquid

Antiserum Preparation Antisera to human phosphorylated p53 were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution 10mM HEPES pH7.5

Preservative 0.09% Sodium Azide
Stabilisers 0.01% Bovine Serum Albumin
50% Glycerol

Immunogen Synthetic phosphopeptide corresponding to an amino acid sequence within p53 which includes the

phosphorylated residue serine 392.

External Database**Links****UniProt:**

[P04637](#) [Related reagents](#)

Entrez Gene:

[7157](#) TP53 [Related reagents](#)

Synonyms

P53

Specificity

Rabbit anti p53 (pSer392) antibody recognizes cellular tumor antigen p53, also known as antigen NY-CO-13, phosphoprotein p53 and tumor suppressor p53, when phosphorylated at serine 392.

The tumor suppressor protein p53, is expressed ubiquitously and plays an important role in blocking proliferation of damaged cells.

Phosphorylation of p53 at serine 392 is reported in response to diverse stresses, for example UV irradiation.

Western Blotting

AHP906 recognises a band of approximately 53kD in rat brain nuclear fraction lysates.

References

1. Jaiswal, A.S. & Narayan, S. (2001) p53-dependent transcriptional regulation of the APC promoter in colon cancer cells treated with DNA alkylating agents. [J Biol Chem. 276 \(21\): 18193-9.](#)

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10088 available at:
10088: <https://www.bio-rad-antibodies.com/uploads/MSDS/10088.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)

Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

Sheep Anti Rabbit IgG (STAR35...) [RPE](#)

Sheep Anti Rabbit IgG (2AB02...) [Biotin](#)

Sheep Anti Rabbit IgG (STAR36...) [DyLight@488](#), [DyLight@680](#), [DyLight@800](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

