

# Datasheet: AHP931 BATCH NUMBER 148677

Description:	RABBIT ANTI TYROSINE HYDROXYLASE
Specificity:	TYROSINE HYDROXYLASE
Format:	Purified
<b>Product Type:</b>	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen	•			1/1000
Immunohistology - Paraffin				
ELISA			•	
Immunoprecipitation			•	
Western Blotting	•			1/1000
Immunofluorescence	•			1/1000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat
Species Cross Reactivity	Reacts with: Grasshopper (Gastrimargus musicus), Rat, Mouse Based on sequence similarity, is expected to react with:Mammals  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

**Antiserum Preparation** Antisera to tyrosine hydroxylase were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution	10mM HEPES pH7.5
Preservative	0.09% Sodium Azide
Stabilisers	0.01% Bovine Serum Albumin
	50% Glycerol
Immunogen	Tyrosine hydroxylase purified from pheochromocytoma.
External Database	
Links	UniProt:
	P04177 Related reagents
	Entrez Gene:
	25085 Th Related reagents
RRID	AB_2201650
Specificity	Rabbit anti Rat tyrosine hydroxylase antibody recognizes tyrosine hydroxylase (TH). Tyrosine hydroxylase catalyses the rate-limiting step in the biosynthetic pathway of the catecholamines dopamine (DA), norepinephrine, and epinephrine. The enzyme exists as a tetramer, with each subunit composed of an N-terminal regulatory domain and a C-terminal catalytic domain.
	Tyrosine hydroxylase is regularly used as a marker for dopaminergic neurons, which is particularly relevant for research into Parkinson's disease ( <u>Haavik <i>et al.</i> 1998</u> ).
Western Blotting	AHP931 detects a band of approximately 60kDa in rat caudate cell lysates.
References	<ol> <li>Xu, Z.Q. et al. (1998) Immunohistochemical studies on phosphorylation of tyrosine hydroxylase in central catecholamine neurons using site- and phosphorylation state-specific antibodies. Neurosci. 82: 727-8.</li> <li>Fan, W. et al. (2010) Structural and cellular features in metaphyseal and diaphyseal</li> </ol>
	periosteum of osteoporotic rats. <u>J Mol Histol. 41: 51-60.</u> 3. Kim, S.M. <i>et al.</i> (2009) Dense-core vesicle proteins IA-2 and IA-2{beta} affect renin synthesis and secretion through the {beta}-adrenergic pathway. <u>Am J Physiol Renal</u>
	Physiol. 296: F382-9.
	4. Nurul Wahida, A. & Cooper, P.D. (2014) Feeding and the salivary gland response in
	free-ranging yellow-winged grasshoppers ( <i>Gastrimargus musicus</i> ) <u>Austral J Zool. 62:</u> 393-400.
	5. Wu, X. <i>et al.</i> (2012) Desipramine pretreatment improves sympathetic remodeling and
	ventricular fibrillation threshold after myocardial ischemia. <u>J Biomed Biotechnol. 2012:</u> 732909.
Storage	Store at +4°C or at -20°C if preferred.
	Characteristic from the after a many in material and a

Storage in frost-free freezers is not recommended.

This product should be stored undiluted.

Avoid repeated freezing and thawing as this may denature the antibody.

Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10088 available at: <a href="https://www.bio-rad-antibodies.com/SDS/AHP931">https://www.bio-rad-antibodies.com/SDS/AHP931</a> 10088
Regulatory	For research purposes only

## **Related Products**

# **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

## **Recommended Useful Reagents**

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364367:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint