

Datasheet: AHP931 BATCH NUMBER 169477

Description:	RABBIT ANTI TYROSINE HYDROXYLASE
Specificity:	TYROSINE HYDROXYLASE
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen	•			1/1000
Immunohistology - Paraffin	•			
ELISA			•	
Immunoprecipitation			•	
Western Blotting	•			1/1000
Immunofluorescence	•			1/1000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat
Species Cross Reactivity	Reacts with: Grasshopper (Gastrimargus musicus), Rat, Mouse Based on sequence similarity, is expected to react with:Mammals N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

Antiserum Preparation Antisera to tyrosine hydroxylase were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

Buffer Solution	10mM HEPES pH7.5
Preservative	0.09% Sodium Azide
Stabilisers	0.01% Bovine Serum Albumin
	50% Glycerol
Immunogen	Tyrosine hydroxylase purified from pheochromocytoma.
External Database	
Links	UniProt:
	P04177 Related reagents
	Frature Comp.
	Entrez Gene:
	25085 Th Related reagents
RRID	AB_2201650
Specificity	Rabbit anti Rat tyrosine hydroxylase antibody recognizes tyrosine hydroxylase (TH).
	Tyrosine hydroxylase catalyses the rate-limiting step in the biosynthetic pathway of the
	catecholamines dopamine (DA), norepinephrine, and epinephrine. The enzyme exists as a
	tetramer, with each subunit composed of an N-terminal regulatory domain and a
	C-terminal catalytic domain.
	Tyrosine hydroxylase is regularly used as a marker for dopaminergic neurons, which is particularly relevant for research into Parkinson's disease (<u>Haavik <i>et al.</i> 1998</u>).
Western Blotting	AHP931 detects a band of approximately 60kDa in rat caudate cell lysates.
References	1. Xu, Z.Q. <i>et al.</i> (1998) Immunohistochemical studies on phosphorylation of tyrosine
	hydroxylase in central catecholamine neurons using site- and phosphorylation state-
	specific antibodies. Neurosci. 82: 727-8.
	2. Kim, S.M. et al. (2009) Dense-core vesicle proteins IA-2 and IA-2{beta} affect renin
	synthesis and secretion through the {beta}-adrenergic pathway. Am J Physiol Renal
	Physiol. 296: F382-9.
	3. Fan, W. et al. (2010) Structural and cellular features in metaphyseal and diaphyseal
	periosteum of osteoporotic rats. <u>J Mol Histol. 41: 51-60.</u>
	4. Wu, X. et al. (2012) Desipramine pretreatment improves sympathetic remodeling and
	ventricular fibrillation threshold after myocardial ischemia. <u>J Biomed Biotechnol. 2012:</u>
	<u>732909.</u>
	5. Nurul Wahida, A. & Cooper, P.D. (2014) Feeding and the salivary gland response in
	free-ranging yellow-winged grasshoppers (<i>Gastrimargus musicus</i>) Austral J Zool. 62:
	<u>393-400.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at
	-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
	short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Short torm 400 (up to 4 wooks) and store the formaling anquote at -20 O.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in

frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10088 available at: https://www.bio-rad-antibodies.com/SDS/AHP931 10088
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Recommended Useful Reagents

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

TidyBlot WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383374:210513'

Printed on 03 Jan 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint