Datasheet: AHP946 BATCH NUMBER 157245

Description:	GOAT ANTI DOG IgE
Specificity:	lgE
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen					
	Immunohistology - Paraffin					
	ELISA	•			1/100 - 1/10,000	
	Immunoprecipitation			•		
	Western Blotting				1/1000 - 1/30,000	
	Where this antibody has	not been	tested for	use in a particular te	echnique this does not	
Target Species	necessarily exclude its us a guide only. It is recomn system using appropriate Dog	nended th	at the use	r titrates the antibod	•	
Product Form	Purified IgG - liquid					
Antiserum Preparation	n Antisera to canine IgE we antigen. Purified IgG prej				goats with highly purified	
Buffer Solution	Phosphate buffered salin	e				
Preservative Stabilisers	0.09% Sodium Azide					
Approx. Protein Concentrations	IgG concentration 1.0 mg	j/ml				

Immunogen	Native canine IgE.				
RRID	AB_567015				
Specificity	Goat anti Dog IgE antibody recognises canine IgE. The antibody has been shown to react specifically with canine IgE by immunoelectrophoresis and ELISA. Less than 0.01% cross reactivity was detected to canine IgG1, IgG2, IgA and IgM. Goat anti Dog IgE may cross react with IgE from other species.				
	Goat anti Dog IgE antibody has been reported for use in immunohistology of frozen canine sections.				
References	 Krachudel, J. <i>et al.</i> (2013) Luteal insufficiency in bitches as a consequence of an autoimmune response against progesterone? <u>Theriogenology. 79: 1278-83</u> Elders, R.C. <i>et al.</i> (2014) Recombinant canine IgE Fc and an IgE Fc-TRAIL fusion protein bind to neoplastic canine mast cells. <u>Vet Immunol Immunopathol. 159: 29-40.</u> Couto N <i>et al.</i> (2016) Identification of vaccine candidate antigens of Staphylococcus pseudintermedius by whole proteome characterization and serological proteomic analyses. <u>J Proteomics. 133: 113-24.</u> Elders, R.C. <i>et al.</i> (2014) Recombinant canine IgE Fc and an IgE Fc-TRAIL fusion protein bind to neoplastic canine mast cells. <u>Vet Immunol Immunopathol. 159 (1-2): 29-40.</u> Moya, R.<i>et al.</i> (2016) Immunoproteomic characterization of a Dermatophagoides farinae extract used in the treatment of canine atopic dermatitis <u>Vet Immunol and Immunopathol. Aug 4 [Epub ahead of print]</u> Bizikova, P. <i>et al.</i> (2014) Serum autoantibody profiles of IgA, IgE and IgM in canine pemphigus foliaceus. <u>Vet Dermatol. 25 (5): 471-e75.</u> 				
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/AHP946 10040				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700 Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739	Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint