

Datasheet: AHP946P

Description:	GOAT ANTI DOG IgE:HRP
Specificity:	IgE
Format:	HRP
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.5 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal				
	communications from the originators. Please refer to references indicated for further				
	information. For general protocol recommendations, please visit <u>www.bio-</u>				
	rad-antibodies.com/protocols.				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry				
	Immunohistology - Frozen	•			1/200 - 1/2000
	Immunohistology - Paraffin			•	
	ELISA	•			1/10,000 - 1/100,000
	Immunoprecipitation			•	
	Western Blotting	•			1/2000 - 1/20,000
	Where this antibody has	not been t	tested for	use in a particular te	chnique this does not
	necessarily exclude its us a guide only. It is recomn system using appropriate	nended the	at the use	er titrates the antibody	•
Target Species	Dog				
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid				
Antiserum Preparatic	n Antisera to canine IgE we antigen. Purified IgG pre		• •		goats with highly purified
Buffer Solution	Phosphate buffered salin	e.			
Preservative	0.05% ProClin 300				
Stabilisers	0.2% Bovine Serum Albu	ımin			
Approx. Protein Concentrations	IgG concentration 1.0 mg	g/ml.			

Immunogen	Native canine IgE.
RRID	AB_567014.
Specificity	Goat anti Dog IgE antibody recognises canine IgE. The antibody has been shown to react specifically with canine IgE by immunoelectrophoresis and ELISA. Less than 0.01% cross reactivity was detected to canine IgG1, IgG2, IgA and IgM. Goat anti Dog IgE may cross react with IgE from other species. Goat anti Dog IgE antibody has been reported for use in immunohistology of frozen
	canine sections.
References	 Krachudel, J. <i>et al.</i> (2013) Luteal insufficiency in bitches as a consequence of an autoimmune response against progesterone? <u>Theriogenology. 79: 1278-83</u> Elders, R.C. <i>et al.</i> (2014) Recombinant canine IgE Fc and an IgE Fc-TRAIL fusion protein bind to neoplastic canine mast cells. <u>Vet Immunol Immunopathol. 159: 29-40.</u> Elders, R.C. <i>et al.</i> (2014) Recombinant canine IgE Fc and an IgE Fc-TRAIL fusion protein bind to neoplastic canine mast cells. <u>Vet Immunol Immunopathol. 159: 29-40.</u> Elders, R.C. <i>et al.</i> (2014) Recombinant canine IgE Fc and an IgE Fc-TRAIL fusion protein bind to neoplastic canine mast cells. <u>Vet Immunol Immunopathol. 159 (1-2): 29-40.</u> Bizikova, P. <i>et al.</i> (2014) Serum autoantibody profiles of IgA, IgE and IgM in canine pemphigus foliaceus. <u>Vet Dermatol. 25 (5): 471-e75.</u> Couto N <i>et al.</i> (2016) Identification of vaccine candidate antigens of Staphylococcus pseudintermedius by whole proteome characterization and serological proteomic analyses. <u>J Proteomics. 133: 113-24.</u> Moya, R. <i>et al.</i> (2016) Immunoproteomic characterization of a <i>Dermatophagoides farinae</i> extract used in the treatment of canine atopic dermatitis. <u>Vet Immunol Immunopathol. 180: 1-8.</u> Wysmołek, M.E. <i>et al.</i> (2022) Canine antibody response against <i>Dirofilaria repens.</i> in natural occult and microfilaremic infections <u>Comp Immunol Microbiol Infect Dis. 2 May: 101818 [Epub ahead of print].</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch.
Acknowledgements	ProClin is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
Health And Safety Information	Material Safety Datasheet documentation #20391 available at: https://www.bio-rad-antibodies.com/SDS/AHP946P 20391
Regulatory	For research purposes only.

Related Products

Recommended Useful Reagents

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428253:240301'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint