

## Datasheet: AHP950

**BATCH NUMBER 162089**

<b>Description:</b>	RABBIT ANTI SHEEP IgM
<b>Specificity:</b>	IgM
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/100 - 1/10,000
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

**Target Species** Sheep

**Product Form** Purified IgG - liquid

**Antiserum Preparation** Antisera to ovine IgM were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG prepared by affinity chromatography.

**Buffer Solution** Phosphate buffered saline

**Preservative Stabilisers** 0.09% Sodium Azide

**Approx. Protein Concentrations** IgG concentration 1.0 mg/ml

**Specificity** **Rabbit anti sheep IgM antibody** recognizes ovine immunoglobulin M.

The antibody has been shown to react specifically with ovine IgM by immunoelectrophoresis and ELISA.

The antibody may cross react with IgM from other species.

#### References

- Hine, B.C. *et al.* (2010) Selective transport of IgE into ovine mammary secretions. [Res Vet Sci. 89 \(2\): 184-90.](#)
- Vande Walle, K. *et al.* (2011) Rectal inoculation of sheep with *E. coli* O157:H7 results in persistent infection in the absence of a protective immune response. [Vet Microbiol. 147 \(3-4\): 376-82.](#)
- Marques, P.X. *et al.* (2011) Amniotic and allantoic fluids from experimentally infected sheep contain immunoglobulin specific for *Chlamydophila abortus*. [Vet Immunol Immunopathol. 140: 1-9.](#)
- Verhelst, D. *et al.* (2015) Interferon-gamma expression and infectivity of *Toxoplasma* infected tissues in experimentally infected sheep in comparison with pigs. [Vet Parasitol. 207 \(1-2\): 7-16.](#)
- Helder, M.R.K. *et al.* (2017) Xenoantigenicity of porcine decellularized valves. [J Cardiothorac Surg. 12 \(1\): 56.](#)

#### Storage

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

#### Guarantee

12 months from date of despatch

#### Health And Safety Information

Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/AHP950>  
10040

#### Regulatory

For research purposes only

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)

Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Sheep Anti Rabbit IgG (STAR35...) [RPE](#)

Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M364388:200529'

