

Datasheet: ANNEX200PE BATCH NUMBER 155701

Description:	ANNEXIN V:PE ASSAY KIT
Name:	ANNEXIN V KIT
Format:	RPE
Product Type:	Kits
Quantity:	200 TESTS

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution Flow Cytometry • Neat Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
Max Ex/Em	Fluorophore	Excitation Max (nm) Emission Ma	x (nm)			
	RPE 488nm laser	496	578				
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin						
External Database Links	UniProt: P08758 Related reagents Entrez Gene: <u>308</u> ANXA5 <u>Related reagents</u>						
Synonyms	ANX5, ENX2, PP4						
Product Information	phosphatidylserine (PS the early stages of apo	S) in the presenc optosis. Detectior	e of Ca ²⁺ . PS is ex of PS is a very se	e membrane phospholipid posed at the cell surface during ensitive method for detecting ad of nuclear changes such as			

The conjugation protocol used to prepare this product has not changed the native phospholipid binding properties of Annexin V. This protocol is designed to measure apoptosis easily and quickly in a sample of suspended cells.

View our complete list of formats and sizes of Annexin V kits

Reagents In The Kit	Annexin V:PE	200 tests			
	7-AAD Viability Staining Solution 2X 100 tests				
	10X Binding Buffer	100 ml			
Instructions For Use	1) Dilute the10X Binding Buffer to 1X in distilled water (1 ml Binding Buffer + 9 ml distill water).				
	2) Wash cells once in PBS by gentle shaking or pipetting up and down. Then wash onc in 1X Binding Buffer.				
	3) Resuspend cells in 1X	Binding Buffer, adjusting to a cell density of 1-5 x 10 ⁶ cells/ml			
	4) Add 5 μ I of PE conjugated Annexin V to 100 μ I of the cell suspension.				
	5) Mix and incubate for 10) to15 minutes at room temperature.			
	6) Wash cells in 1X Binding Buffer.				
	7) Resuspend cells in 200 μl of 1X Binding Buffer.				
	8) Add 5 μ l of 7-AAD Viability Staining Solution and incubate for 5 minutes at room temperature.				
	9) Analyse by flow cytome	etry within 4 hours. Store at 2-8°C in the dark.			
Storage	Store at +4°C. DO NOT F	REEZE.			
	This product should be sto	pred undiluted. Should this product contain a precipitate we			
	recommend microcentrifug	gation before use.			
Guarantee	Guaranteed until date of expiry. Please see product label.				
Health And Safety	Material Safety Datasheet	t documentation #10229 #10230 #10582 available at:			
Information	https://www.bio-rad-antibo	dies.com/SDS/ANNEX200PE			
	Recombinant Annexin V (10229)				
		Binding Buffer (10230)			
	Binding Buffer (10230) 7-AAD (10582)				

Related Products

Recommended Useful Reagents

ANNEXIN V:APC ASSAY KIT (ANNEX50APC) ANNEXIN V:APC ASSAY KIT (ANNEX200APC)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-	rad.com	Email: antibody_sales_uk@bio	rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M371229:200608'

Printed on 03 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint