

# Datasheet: BUF025A BATCH NUMBER 168840

| Description:  | ANTIGEN RETRIEVAL BUFFER, pH8.0             |
|---------------|---|
| Name:         | ANTIGEN RETRIEVAL BUFFER, pH8.0 (UNIVERSAL) |
| Format:       | Ready To Use                                |
| Product Type: | Accessory Reagent                           |
| Quantity:     | 500 ml                                      |

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                            | Yes | No | Not Determined | <b>Suggested Dilution</b> |
|----------------------------|-----|----|----------------|---------------------------|
| Immunohistology - Paraffin |     |    |                |                           |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Buffer Solution | Ready to use |  |
|-----------------|--------------|--|
|                 |              |  |

## Intended Use

Bio-Rad's Antigen unmasking fluid is a heat induced, epitope retrieval system. The 'universal' formulation presented at pH8.0 is suitable for use with most antibodies and gives excellent preservation of tissue morphology.

#### **Instructions For Use**

- 1. Deparaffinize sections and re-hydrate
- 2. Pre-heat retrieval buffer to 92°C \*.
- 3. Place slides in buffer and incubate 10 minutes at 92°C \*.
- 4. Allow to cool for 5-10 minutes.
- 5. Rinse in distilled water or PBS, proceed with staining.
- \* N.B. Optimal unmasking is a function of time and temperature. Temperature (range 90°C-100°C) and time (5-30 minutes) should be determined by each investigator.

| References                       | 1. Chang, J.F. <i>et al.</i> (2011) A possible rare cause of renal failure in streptococcal infection.<br>Nephrol Dial Transplant. 26 (1): 368-71.                             |
|----------------------------------|--|
| Storage                          | Store at room temperature. Should this product contain a precipitate we recommend microcentrifugation before use.  |
| Guarantee                        | Guaranteed until date of expiry. Please see product label.   |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10093 available at: <a href="https://www.bio-rad-antibodies.com/SDS/BUF025A">https://www.bio-rad-antibodies.com/SDS/BUF025A</a> 10093 |
| Regulatory                       | For research purposes only   |

# **Related Products**

# **Recommended Useful Reagents**

10x ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 **Europe** Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M390129:210825'

### Printed on 29 Aug 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint