

Datasheet: BUF049B

Description:	HISPEC ASSAY DILUENT
Name:	HISPEC ASSAY DILUENT
Format:	Ready To Use
Product Type:	Accessory Reagent
Clone:	N/A
Quantity:	125 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	ELISA	•					
	Immunoassay	•					
	Where this product has not been tested for use in a particular technique this d necessarily exclude its use in such procedures. Suggested working dilutions a a guide only. It is recommended that the user titrates the product for use in the system using appropriate negative/positive controls.						
Product Form	Ready to use assay diluent buffer.						
Preservative Stabilisers	0.1% ProClin 300						
Intended Use	HISPEC assay diluent works to reduce cross reactivity, non-specific binding and matrix effects in immunoassays such as ELISA, EIA, Western blotting, immuno-PCR, protein arrays, multianalyte immunoassays and immunohistochemistry.						
	The effect of HISPEC assay diluent is dependent on assay system and the antibodies used. HISPEC assay diluent is used instead of a sample buffer or antibody dilution buffer within the immunoassay protocol.						
	HISPEC assay diluent is recommend one of the b reagents" below.			-	-		
	Examples of use:						

	ELISA: use as a dilution buffer for the specimen and for the detection antibodies Western blotting: use as dilution buffer for primary and secondary antibodies Immunohistochemistry: use as dilution buffer for primary and secondary antibodies Protein arrays: use as dilution buffer for specimen and for the detection antibodies			
Instructions For Use	e buffer should be mixed thoroughly immediately before use. lution of the samples: le standards and samples for ELISA and protein arrays can be diluted with HISPEC say diluent at 1:2 or higher. Standards and samples should be treated identically.			
	Dilution of antibodies: Antibodies can be diluted with HISPEC assay diluent in a user-defined manner, depending on the recommendation of the antibody supplier.			
	Expected results: In some cases a reduction in assay signal intensity may be observed when using HISPEC assay diluent. This does not result in a reduction in assay sensitivity due to the accompanying reduction in non-specific binding.			
	Signal intensity may be increased in some assay systems by use of higher concentrations of antibodies, or by dilution of the HISPEC assay diluent in distilled water (1:2) prior to use. However, these adjustments may also result in some associated increase in non-specific binding.			
References	 Eriksson, O. <i>et al.</i> (2018) Pancreatic imaging using an antibody fragment targeting the zinc transporter type 8: a direct comparison with radio-iodinated Exendin-4. <u>Acta Diabetol.</u> <u>55 (1): 49-57.</u> Yang, X. <i>et al.</i> (2022) Exploring the value of <i>Mycobacterium tuberculosis</i>. modified lipoprotein as a potential biomarker for TB detection in children. <u>BMC Infect Dis. 22 (1):</u> <u>158.</u> Hentrich, C. <i>et al.</i> (2024) Engineered reversible inhibition of SpyCatcher reactivity enables rapid generation of bispecific antibodies. <u>Nat Commun. 15 (1): 5939.</u> 			
Storage	This product is shipped at ambient temperature. Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.			
Guarantee	Guaranteed until date of expiry. Please see product label.			
Acknowledgements	ProClin is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.			
Health And Safety Information	Material Safety Datasheet documentation #10265 available at: https://www.bio-rad-antibodies.com/SDS/BUF049B 10265			
Regulatory	For research purposes only.			

Related Products

Recommended Useful Reagents

ELISA BSA BLOCK (BUF032A) ELISA ULTRABLOCK (BUF033A) ELISA SYNBLOCK (BUF034A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: -
America	Fax: +1 919 878 3751		Fax:
	Email: antibody_sales_us@b	io-rad.com	Ema

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M439307:250523'

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint