

Datasheet: C07SA

BATCH NUMBER 149680

Description:	GOAT SERUM
Name:	GOAT SERUM
Format:	Serum
Product Type:	Serum
Quantity:	100 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			
Immunohistology - Paraffin	•			
Immunoassay	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

|--|

Antiserum Preparation Whole serum is supplied 0.2um filtered.

Preservative Stabilisers

0.1% Sodium Azide

References

- 1. Bürli, T. *et al.* (2010) Single particle tracking of alpha7 nicotinic AChR in hippocampal neurons reveals regulated confinement at glutamatergic and GABAergic perisynaptic sites. PLoS One. 9;5(7):e11507.
- 2. Säve, S. *et al.* (2011) Activation of Adenosine A2A Receptors Inhibits Neutrophil Transuroepithelial Migration. Infect Immun. 79: 3431-7.
- 3. Luhmann, U.F. *et al.* (2014) The severity of retinal pathology in homozygous Crb1rd8/rd8 mice is dependent on additional genetic factors. <u>Hum Mol Genet. pii: ddu424.</u>
- 4. Hippert C *et al.* (2015) Müller glia activation in response to inherited retinal degeneration is highly varied and disease-specific. <u>PLoS One. 10 (3): e0120415.</u>
- 5. McArthur, S. et al. (2015) Sex-specific disruption of murine midbrain astrocytic and

dopaminergic developmental trajectories following antenatal GC treatment. <u>Brain Struct</u> Funct. May 6. [Epub ahead of print]

- 6. Herrmann, P. *et al.* (2015) Cd59a deficiency in mice leads to preferential innate immune activation in the retinal pigment epithelium-choroid with age. <u>Neurobiol Aging. 36 (9):</u> 2637-48.
- 7. Díaz-Carballo D *et al.* (2015) Therapeutic potential of antiviral drugs targeting chemorefractory colorectal adenocarcinoma cells overexpressing endogenous retroviral elements. J Exp Clin Cancer Res. 34: 81.
- 8. Hakim, R. *et al.* (2019) Mesenchymal stem cells transplanted into spinal cord injury adopt immune cell-like characteristics. <u>Stem Cell Res Ther. 10 (1): 115.</u>

Storage	Store at +4°C or at -20°C if preferred.
	Storage in frost free freezers is not recommended.
	Avoid repeated freezing and thawing as this may denature the product. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10496 available at: https://www.bio-rad-antibodies.com/SDS/C07SA 10496
Regulatory	For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364431:200529'

Printed on 23 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint