

# Datasheet: C07SA

## **BATCH NUMBER 165347**

Description:	GOAT SERUM
Name:	GOAT SERUM
Format:	Serum
<b>Product Type:</b>	Serum
Quantity:	100 ml

### **Product Details**

# **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen	•			
Immunohistology - Paraffin	•			
Immunoassay	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Product Form	Serum - liquid	

Antiserum Preparation Whole serum is supplied 0.2um filtered.

## Preservative Stabilisers

0.1% Sodium Azide

#### References

- 1. Bürli, T. *et al.* (2010) Single particle tracking of alpha7 nicotinic AChR in hippocampal neurons reveals regulated confinement at glutamatergic and GABAergic perisynaptic sites. <u>PLoS One.</u> 9;5(7):e11507.
- 2. Säve, S. *et al.* (2011) Activation of Adenosine A2A Receptors Inhibits Neutrophil Transuroepithelial Migration. Infect Immun. 79: 3431-7.
- 3. Luhmann, U.F. *et al.* (2014) The severity of retinal pathology in homozygous Crb1rd8/rd8 mice is dependent on additional genetic factors. <u>Hum Mol Genet. pii: ddu424.</u>
- 4. Hippert C *et al.* (2015) Müller glia activation in response to inherited retinal degeneration is highly varied and disease-specific. <u>PLoS One. 10 (3): e0120415.</u>
- 5. McArthur, S. et al. (2015) Sex-specific disruption of murine midbrain astrocytic and

dopaminergic developmental trajectories following antenatal GC treatment. Brain Struct Funct. May 6. [Epub ahead of print]

- 6. Herrmann, P. et al. (2015) Cd59a deficiency in mice leads to preferential innate immune activation in the retinal pigment epithelium-choroid with age. Neurobiol Aging. 36 (9):
- 7. Díaz-Carballo D et al. (2015) Therapeutic potential of antiviral drugs targeting chemorefractory colorectal adenocarcinoma cells overexpressing endogenous retroviral elements. J Exp Clin Cancer Res. 34: 81.
- 8. Hakim, R. et al. (2019) Mesenchymal stem cells transplanted into spinal cord injury adopt immune cell-like characteristics. Stem Cell Res Ther. 10 (1): 115.
- 9. Olof, P.O. et al. (2018) Inhibition of integrin  $\alpha_V \beta_6$  changes fibril thickness of stromal collagen in experimental carcinomas. Cell Commun Signal. 16 (1): 36.

## **Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the product. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10496 available at: <a href="https://www.bio-rad-antibodies.com/SDS/C07SA">https://www.bio-rad-antibodies.com/SDS/C07SA</a> 10496
Regulatory	For research purposes only

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody sales us@bio-rad.com Email: antibody sales uk@bio-rad.com

Email: antibody sales de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

#### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint