

Datasheet: C12CA BATCH NUMBER 167156

Description:	BABY RABBIT COMPLEMENT
Name:	BABY RABBIT COMPLEMENT
Format:	Serum
Product Type:	Serum
Quantity:	2 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Functional Assays (1)	•						
	Immunoassay	-						
	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its u a guide only. It is recomm system using appropriate (1) This product is not It is preferable to dilute filtration in order to min	nended th e negative sold as s e the com	at the use /positive c terile but plement t	er titrates the product fo controls. can be sterilized by t to a final working cor	or use in their own filtration if necessary.			
Product Form	Baby rabbit serum - lyop	hilized						
Reconstitution	Reconstitute with 2ml ice cold distilled water							
Preservative Stabilisers	None present							
Product Information	Baby rabbit complement complement for cytotoxic		-	n is intended for use a	as a source of rabbit			
Instructions For Use	Use within one hour of re	econstituti	on, keepir	ng on ice throughout.				
References	1. De clercq, L. <i>et al.</i> (19 preadipocytes <i>in vitro</i> an <u>75 (7): 1791-7.</u> 2. Anderson, L.D. Jr <i>et a</i>	d depress	es the dev	velopment of pig adipc	ose tissue. <u>J Anim Sci.</u>			

versus-host disease by pretransplant immunization of allogeneic bone marrow donors with a recipient-derived tumor cell vaccine. <u>Cancer Res. 59 (7): 1525-30.</u>

 Lidington, E.A. *et al.* (2000) Induction of decay-accelerating factor by thrombin through a protease-activated receptor 1 and protein kinase C-dependent pathway protects vascular endothelial cells from complement-mediated injury. <u>Blood. 96 (8): 2784-92.</u>
 Mason, J.C. *et al.* (2002) bFGF and VEGF synergistically enhance endothelial

cytoprotection via decay-accelerating factor induction. <u>Am J Physiol Cell Physiol. 282:</u> <u>C578-87.</u>

5. Mason, J.C. *et al.* (2002) Statin-induced expression of decay-accelerating factor protects vascular endothelium against complement-mediated injury. <u>Circ Res. 91 (8):</u> 696-703.

6. Li, S.H. *et al.* (2004) C-reactive protein upregulates complement-inhibitory factors in endothelial cells. <u>Circulation. 109: 833-6.</u>

7. Newcombe, J. *et al.* (2004) Infection with an avirulent phoP mutant of *Neisseria meningitidis* confers broad cross-reactive immunity. Infect Immun. 72: 338-44.

8. Sancho, D. *et al.* (2006) CD69 targeting differentially affects the course of collageninduced arthritis. <u>J Leukoc Biol. 80: 1233-41.</u>

9. Hyams, C. *et al.* (2010) *Streptococcus pneumoniae* resistance to complement-mediated immunity is dependent on the capsular serotype. <u>Infect Immun. 78: 716-25.</u>

10. Hung, M.C. *et al.* (2011) The *Neisseria meningitidis* Macrophage Infectivity Potentiator Protein Induces Cross-Strain Serum Bactericidal Activity and Is a Potential Serogroup B Vaccine Candidate. <u>Infect Immun. 79: 3784-91.</u>

11. Lee, S.J. *et al.* (2012) Identification of a common immune signature in murine and human systemic Salmonellosis. <u>Proc Natl Acad Sci U S A. 109 (13): 4998-5003.</u>

12. Hung MC *et al.* (2013) The adhesin complex protein (ACP) of *Neisseria meningitidis* is a new adhesin with vaccine potential. <u>MBio. 4 (2): pii: e00041-13.</u>

13. Goh, Y.S. & MacLennan, C.A. (2013) Invasive African nontyphoidal Salmonella requires high levels of complement for cell-free antibody-dependent killing. <u>J Immunol</u> <u>Methods. 387 (1-2): 121-9.</u>

14. Goh YS *et al.* (2016) Bactericidal Immunity to *Salmonella* in Africans and Mechanisms Causing Its Failure in HIV Infection. <u>PLoS Negl Trop Dis. 10 (4): e0004604.</u>

15. Humbert MV *et al.* (2016) Vaccine Potential and Diversity of the Putative Cell Binding Factor (CBF, NMB0345/NEIS1825) Protein of *Neisseria meningitidis*. <u>PLoS One. 11 (8):</u> <u>e0160403.</u>

16. Dierckx de Casterlé I *et al.* (2018) Reduction of myeloid-derived suppressor cells reinforces the anti-solid tumor effect of recipient leukocyte infusion in murine neuroblastoma-bearing allogeneic bone marrow chimeras. <u>Cancer Immunol Immunother.</u> <u>67 (4): 589-603.</u>

17. Valton, J. *et al.* (2018) A Versatile Safeguard for Chimeric Antigen Receptor T-Cell Immunotherapies. <u>Sci Rep. 8 (1): 8972.</u>

18. Dierckx de Casterlé, I. *et al.* (2018) Reduction of myeloid-derived suppressor cells reinforces the anti-solid tumor effect of recipient leukocyte infusion in murine neuroblastoma-bearing allogeneic bone marrow chimeras. <u>Cancer Immunol Immunother.</u> <u>67 (4): 589-603.</u>

19. Nganje, C.N. *et al.* (2019) PepN is a non-essential, cell wall-localized protein that contributes to neutrophil elastase-mediated killing of *Streptococcus pneumoniae*. <u>PLoS</u> <u>One. 14 (2): e0211632</u>.

PROLYMPHOCYTIC I 21. Mosti, L. <i>et al.</i> (202 positive/negative select 22. Olivera-Ardid, S. <i>e</i>	<u>e</u> enables straightforward (9): 602-12. αGal antibodies elicits protectiv		
		g reconstituti	on store at +4 ^o C for 1 hour or
denature the product.	Should this product con	•	• •
Guaranteed until date			
-			le at:
For research purposes	s only		
3751	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bic	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.cor
ic datasheet for this produ	ict, please use our online	search tool at	: bio-rad-antibodies.com/datashee
	PROLYMPHOCYTIC I 21. Mosti, L. <i>et al.</i> (20 positive/negative select 22. Olivera-Ardid, S. <i>et</i> immunity against Gran Prior to reconstitution aliquot and store at -7 This product should be denature the product. microcentrifugation be Guaranteed until date Material Safety Datast https://www.bio-rad-ar 10288 For research purposes	 PROLYMPHOCYTIC leukemia <u>Biomarker Res</u> 21. Mosti, L. <i>et al.</i> (2021) Targeted multi-epito positive/negative selection of CAR T cells. <u>Ge</u> 22. Olivera-Ardid, S. <i>et al.</i> (2023) Removal of immunity against Gram-negative bacterial inference of the product of the product should be stored undiluted. Avoid denature the product. Should this product commicrocentrifugation before use. Guaranteed until date of expiry. Please see pression Material Safety Datasheet documentation #100 https://www.bio-rad-antibodies.com/SDS/C12010288 For research purposes only 	This product should be stored undiluted. Avoid repeated fidenature the product. Should this product contain a precipring microcentrifugation before use. Guaranteed until date of expiry. Please see product label. Material Safety Datasheet documentation #10288 available https://www.bio-rad-antibodies.com/SDS/C12CA 10288 For research purposes only 7376 Worldwide Tel: +44 (0)1865 852 700 Europe 3751 Fax: +44 (0)1865 852 739 sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com ic datasheet for this product, please use our online search tool at

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint