



Datasheet: DC031

Description:	MOUSE ANTI HUMAN MYELOPEROXIDASE:FITC/CD3:RPE
Specificity:	MPO/CD3
Format:	FITC/RPE
Product Type:	Dual Color Reagent
Clone:	2C7/UCHT1
Isotype:	Cocktail
Quantity:	50 TESTS

Product Details

RRID AB_323290

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	■			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1) Membrane permeabilisation is required for this application. Bio-Rad recommends the use of Leucoperm™ (Product Code [BUF09](#)) for this purpose.

Antibody Isotypes FITC reagent: IgG1 (MOUSE)
RPE reagent: IgG1 (MOUSE)

Target Species Human

Product Form Dual Colour combination consisting of FITC conjugated and RPE conjugated monoclonal antibodies mixed in optimal ratio - lyophilised.

Reconstitution Reconstitute with 0.5 ml distilled water

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
	RPE 488nm laser	496	578
	RPE 561nm laser	546	578

Buffer Solution Phosphate buffered saline

Preservative 0.09% Sodium Azide

Stabilisers 1% Bovine Serum Albumin
5% Sucrose

External Database**Links****UniProt:**

[P09693](#) [Related reagents](#)
[P05164](#) [Related reagents](#)
[P04234](#) [Related reagents](#)
[P07766](#) [Related reagents](#)

Entrez Gene:

[917](#) CD3G [Related reagents](#)
[4353](#) MPO [Related reagents](#)
[915](#) CD3D [Related reagents](#)
[916](#) CD3E [Related reagents](#)

Synonyms

T3D, T3E, T3G

Specificity

Clone UCHT-1 recognises the human CD3 antigen, which is expressed by all mature T cells at the cell surface. CD3 is expressed in the cytoplasm of immature T cells.

Clone 2C7 recognises myeloperoxidase, an intracellular enzyme expressed by cells of myeloid lineage.

Flow CytometryUse 10ul of the suggested working dilution to label 10⁶ cells or cells or 100ul whole blood.**Storage**

Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of reconstitution.

Health And Safety Information

Material Safety Datasheet documentation #10075 available at:
10075: <https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf>

Regulatory

For research purposes only

Related Products**Recommended Negative Controls**

[MOUSE IgG1:FITC/MOUSE IgG1:RPE NEGATIVE CONTROL \(DC012\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376**America** Fax: +1 919 878 3751Email: antibody_sales_us@bio-rad.com**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M335420:181204'

