

Datasheet: DC036

| Description: | RAT IgG2a:FITC/RAT IgG2a:RPE NEGATIVE CONTROL | | |
|---------------|---|--|--|
| Specificity: | RAT IgG2a/IgG2a NEGATIVE CONTROL | | |
| Format: | FITC/RPE | | |
| Product Type: | Negative/Isotype Control | | |
| Isotype: | Cocktail | | |
| Quantity: | 100 TESTS | | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> | | | | | |
|-------------------|--|---------------------|-------------------|--------------------|--|--|
| | rad-antibodies.com/pro | Yes No | Not Determined | Suggested Dilution | | |
| | Flow Cytometry | • | | Neat | | |
| | Where this antibody has not been tested for use in a particular technique this does no necessarily exclude its use in such procedures. Suggested working dilutions are give a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls. | | | | | |
| Antibody Isotypes | FITC reagent: IgG2a (RAT) RPE reagent: IgG2a (RAT) | | | | | |
| Target Species | Negative Control | | | | | |
| Product Form | Dual Colour combination consisting of FITC conjugated and RPE conjugated monoclonal antibodies mixed in optimal ratio - lyophilized | | | | | |
| Reconstitution | Reconstitute with 1 ml distilled water | | | | | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm) | | | |
| | FITC | 490 | 525 | | | |
| | RPE 488nm laser | 496 | 578 | | | |
| | RPE 561nm laser | 546 | 578 | | | |
| Preparation | Antibody purified from tissue culture supernatant | | | | | |
| Buffer Solution | Phosphate buffered saline | | | | | |
| Preservative | 0.09% Sodium Azide | | | | | |

| Stabilisers | 1%Bovine Serum5%Sucrose | Albumin | | | | | |
|----------------------------------|--|--|------------------|--|--|--|--|
| RRID | AB_324566 | | | | | | |
| Specificity | - | le for use as a negative noclonals of isotype IgG2a to R-Phycoerythrin | | | | | |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. | | | | | | |
| Storage | Prior to reconstitution store at +4°C. Following reconstitution store at +4°C. | | | | | | |
| | DO NOT FREEZE. | | | | | | |
| | • | e stored undiluted. This pro hould this product contain fore use. | • | | | | |
| Guarantee | 12 months from date of | | | | | | |
| Health And Safety Information | • | neet documentation #2048 tibodies.com/SDS/DC036 | 7 available a | it: | | | |
| Regulatory | For research purposes only | | | | | | |
| America Fax: +1 919 878 | with & South Tel: +1 800 265 7376 Worldwide nerica Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com | | Europe I.com | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com | | | |
| To find a batch/lot speci | fic datasheet for this produ | ict, please use our online sea 'M419272:230616' | arch tool at: bi | o-rad-antibodies.com/datasheets | | | |
| Printed on 12 Aug 2023 | | | | | | | |

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint