

Datasheet: DC040

BATCH NUMBER 155113

Description:	MOUSE ANTI RAT CD4:FITC/CD25:RPE
Specificity:	CD4/CD25
Format:	FITC/RPE
Product Type:	Dual Color Reagent
Clone:	W3/25 / OX-39
Isotype:	Cocktail
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Antibody Isotypes	FITC reagent: IgG1 (MOUSE) RPE reagent: IgG1 (MOUSE)		
Target Species	Rat		
Product Form	Dual Colour combination consisting of FITC conjugated and RPE conjugated monoclonal antibodies mixed in optimal ratio - lyophilised.		
Reconstitution	Reconstitute with 1 ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
	RPE 488nm laser	496	578
	RPE 561nm laser	546	578
Buffer Solution	Phosphate buffered saline		

Preservative	0.09% Sodium Azide
Stabilisers	1% Bovine Serum Albumin
	5% Sucrose

External Database**Links****UniProt:**

[P05540](#) [Related reagents](#)

[P26897](#) [Related reagents](#)

Entrez Gene:

[24932](#) Cd4 [Related reagents](#)

[25704](#) Il2ra [Related reagents](#)

RRID

AB_324136

Specificity

Mouse anti Rat CD4:FITC/CD25:RPE dual color reagent is a dual colour reagent designed to allow the simultaneous enumeration of cells expressing the rat CD4 and CD25 cell surface antigens.

Clone W3/25 recognises rat CD4, a T cell differentiation antigen expressed by helper T lymphocytes and weakly by monocytes. Clone OX-39 recognises rat CD25, a ~55 kDa glycoprotein expressed by activated T lymphocytes.

Flow Cytometry

Use 10ul of the suggested working dilution to label 10^6 cell in 100ul.

References

1. Barclay, A. N. *et al.* (1981) The localization of populations of lymphocytes defined by monoclonal antibodies in rat lymphoid tissues. [Immunol. 42: 593-600.](#)
2. Paterson, D.J. *et al.* (1987) Antigens of activated rat T lymphocytes including a molecule of 50,000 Mr detected only on CD4 positive T blasts. [Mol Immunol. 24 \(12\): 1281-90.](#)
3. Zschemisch, N.H. *et al.* (2012) Zinc-finger nuclease mediated disruption of Rag1 in the LEW/Ztm rat. [BMC Immunol. 13: 60.](#)

Storage

Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #20487 available at: <https://www.bio-rad-antibodies.com/SDS/DC040>
20487

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1:FITC/MOUSE IgG1:RPE NEGATIVE CONTROL \(DC045\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M375216:210104'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)