

Datasheet: DC048

Specificity:CD4/CD8Format:FITC/RPEProduct Type:Dual Color Reagent	RAT ANTI DOG CD4:FITC/CD8:RPE		
Broduct Type: Dual Color Reagent			
Dual Color Reagent			
Clone: YKIX302.9 / YCATE55.9			
Isotype: Cocktail			
Quantity: 100 TESTS			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution							
	Flow Cytometry	•		Neat				
	necessarily exclude	its use in such proc commended that the	edures. Suggested wor user titrates the antibo	technique this does not king dilutions are given as ody for use in their own				
Antibody Isotypes	FITC reagent: lgG2a RPE reagent: lgG1 (
Target Species	Dog							
Product Form	Dual Colour combination consisting of FITC conjugated and RPE conjugated monoclonal antibodies mixed in optimal ratio - lyophilized							
Reconstitution	Reconstitute with 1.0 ml distilled water							
Max Ex/Em	Fluorophore	Excitation Max (r	m) Emission Max (nm)				
	FITC	490	525					
	RPE 488nm laser	496	578					
	RPE 561nm laser	546	578	_				
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide)						

	1% Bovine Serum Albumin5% Sucrose					
External Database Links	UniProt: <u>P33705</u> <u>Related reagents</u> <u>P33706</u> <u>Related reagents</u> Entrez Gene:					
	403931 CD4 Related reagents 403157 CD8A Related reagents					
RRID	AB_324362					
Specificity	Rat anti Canine CD4/CD8 antibodies, clones YKIX302.9 and YCATE55.9 is a dual colour reagent recognising canine CD4 and CD8 cell surface antigens. CloneYKIX302.9 recognises canine CD4, which is expressed by lymphocyte subsets and canine neutrophils.					
	Clone YCATE55.9 recognises CD8α expressed by cytotoxic T cells.					
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.					
References	 Sakai, M <i>et al.</i> (2006) Phenotypic analysis of hepatic T lymphocytes in a dog with chronic hepatitis. <u>J Vet Med Sci. 68:1219-1221</u> Mie, K. <i>et al.</i> (2016) Change in peripheral blood lymphocyte count in dogs following adoptive immunotherapy using lymphokine-activated T killer cells combined with palliative tumor resection. <u>Vet Immunol Immunopathol. 177: 58-63.</u> Corsetti, S. <i>et al.</i> (2018) Bold personality makes domestic dogs entering a shelter less vulnerable to diseases. <u>PLoS One. 13 (3): e0193794.</u> Hassankhani, M. <i>et al.</i> (2017) The effects of prolonged azathioprine administration on blood cells, lymphocytes and immunoglobulins of Iranian mixed-breed dogs. <u>Ir J Vet Med, 11(4), 361-77</u>. 					
Storage	 Prior to reconstitution store at +4°C. Following reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use. 					
Guarantee	12 months from date of despatch					
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/DC048 20487					

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bi	Worldwide o-rad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	Europe -rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com		
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419361:230616'							

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint