

## Datasheet: HCA005P

Description:	HUMAN ANTI CYCLOPHILIN A:HRP
Specificity:	CYCLOPHILIN A
Other names:	CYPA
Format:	HRP
Product Type:	Monoclonal Antibody
Clone:	AbD00794
Isotype:	HuCAL Fab bivalent
Quantity:	0.1 mg

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA	-			
Western Blotting				1/100 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Species Cross
Reactivity

**Target Species** 

Human

Based on sequence similarity, is expected to react with:Bovine, Pig, Monkey **N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

## **Product Form**

A bivalent human recombinant Fab (lambda light chain) selected from the HuCAL® GOLD phage display library. Expressed in *E. coli* and purified using NiNTA affinity chromatography. This Fab fragment is dimerized via a helix-turn-helix motif. The antibody is tagged with a myc-tag (EQKLISEEDL) and a his-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied conjugated to horseradish peroxidase (HRP) - liquid.

#### Preparation

Metal-chelate affinity chromatography.

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.01% Thiomersal
Approx. Protein Concentrations	0.1 mg/ml
Immunogen	Full length human recombinant cyclophilin A, amino acid residues 1-164, molecular weight 17.9 kDa
External Database Links	UniProt: P62937 Related reagents  Entrez Gene: 5478 PPIA Related reagents
Synonyms	CYPA
RRID	AB_2169120
Specificity	Human anti cyclophilin A antibody, clone AbD00794 recognizes cyclophilin A, also known as peptidyl-prolyl cis/trans isomerase A, PPIA or rotamase A. Cyclophilin A is a ~18 kDa, ubiquitously distributed intracellular protein that can be secreted by cells in response to inflammatory stimuli (Jin et al. 2000).  Cyclophilin A is a member of the immunophilin class of proteins that all possess peptidyl-prolyl cis/trans isomerase activity and, therefore, are believed to be involved in protein folding and/or intracellular protein transport (Fischer et al. 1989). This protein can interact with several HIV proteins including p55 gag, Vpr, and capsid protein. It has been shown to be necessary for the formation of infectious HIV virions (Franke et al. 1994). Cyclophilin is a specific high-affinity binding protein for the immunosuppressant agent cyclosporin A (Handschumacher et al. 1984). Because of its dramatic effects on decreasing morbidity and increasing survival rates in human transplants, the molecular mechanism of immunosuppression by cyclosporin A has been a matter of much interest (Durette et al. 1988). Multiple PPIA pseudogenes that map to different chromosomes have been reported. Multiple alternatively spliced transcript variants encoding distinct isoforms have been observed (Chatellard-Gruaz D et al. 1994).  Mouse anti cyclophilin antibody, clone AbD00794 has been used successfully for the detection of cyclophilin A in HeLa cell lysates by Western blotting.
Storage	Store at -70°C.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	6 months from date of despatch.
Acknowledgements	Sold under license of U.S. Patents 6753136, 7785859 and 8273688 and corresponding patents. This antibody was developed by Bio-Rad, Zeppelinstr. 4, 82178 Puchheim, Germany.  His-tag is a registered trademark of EMD Biosciences.
Health And Safety Information	Material Safety Datasheet documentation #10094 available at: 10094: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10094.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10094.pdf</a>
Licensed Use	For in vitro research purposes only, unless otherwise specified in writing by Bio-Rad.
Regulatory	For research purposes only
Technical Advice	Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the <u>HuCAL Antibodies Technical Manual</u>

# **Related Products**

# **Recommended Useful Reagents**

TMB CORE (BUF056A)
TMB CORE+ (BUF062A)
TMB SIGNAL+ (BUF054A)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Fax: +1 919 878 3751
Email: antibody\_sales\_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Email: antibody\_sales\_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M373173:200827'

### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint