

Datasheet: HCA056

Description:	HUMAN ANTI GST
Specificity:	GST
Other names:	GLUTATHIONE-S-TRANSFERASE
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AbD02031
lsotype:	HuCAL Fab bivalent
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	ELISA	-				
	Western Blotting	-			1/20 - 1/200	
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Product Form	A lyophilized, bivalent human recombinant Fab selected from the HuCAL® GOLD phage display library. Expressed in <i>E. coli</i> and purified using metal chelate affinity chromatography. This Fab fragment is bivalent by dimerization of the bacterial alkaline phosphatase fusion protein. The antibody is tagged with a DYKDDDDK tag and a HIS-tag (HHHHHH) at the C-terminus of the antibody heavy chain.					
Reconstitution	Reconstitute with 1.0 ml	l distilled w	vater			
Preparation	Metal chelate affinity ch	romatograj	ohy			
Buffer Solution	Phosphate buffered sali	ne				
Preservative Stabilisers	0.09% Sodium Azide (N	aN ₃)				
Approx. Protein	IgG concentration 0.1 m	ıg/ml after	reconstitu	tion		

Concentrations

Immunogen	Recombinant glutathione-S-transferase.				
RRID	AB_2189861				
Specificity	Human anti GST antibody, clone AbD02031 detects glutathione-S-transferase (GST), a family of cytosolic dimeric isoenzymes that play an important role in detoxification by catalyzing the conjugation of reduced glutathione to a myriad of hydrophobic and electrophilic compounds. GSTs may also bind toxins and function as transport proteins.				
	Mammalian GSTs are 45–55 kDa in size and are assigned to at least four generic classes: Alpha, Mu , Pi and Theta. The amino acid sequence GST is highly conserved in most organisms, including mammals.				
	GST is a commonly used tag in protein expression systems				
Storage	Prior to reconstitution store at +4°C. After reconstitution store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended.				
Guarantee	12 months from date of reconstitution				
Acknowledgements	Sold under license of U.S. Patents 6753136, 7785859 and 8273688 and corresponding patents. This antibody was developed by Bio-Rad, Zeppelinstr. 4, 82178 Puchheim, Germany. His-tag is a registered trademark of EMD Biosciences.				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>				
Licensed Use	For in vitro research purposes only, unless otherwise specified in writing by Bio-Rad.				
Regulatory	For research purposes only				
Technical Advice	Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the <u>HuCAL Antibodies Technical Manual</u>				

Related Products

Recommended Secondary Antibodies

Mouse Anti Synthetic Peptide HISTIDINE TAG (MCA5995	HRP
Goat Anti Human IgG F(ab')2 (0500-0099)	<u>HRP</u>

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Europe
 Tel: +49 (0) 89 8090 95 20

 Imail: antibody_sales_us@bio-rad.com
 Email: antibody_sales_uk@bio-rad.com
 Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products.

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint