

Datasheet: HCA140A

Description:	HUMAN ANTI HUMAN INTERLEUKIN-33
Specificity:	IL-33
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AbD07786
Isotype:	HuCAL Fab bivalent
Quantity:	50 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	
Functional Assays			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	A bivalent human recombinant Fab (lambda light chain) selected from the HuCAL® phage display library, expressed in <i>E. coli</i> . This Fab fragment is dimerized via a helix-turn-helix motif. The antibody is tagged with a myc-tag (EQKLISEEDL) and a his-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied lyophilized.
Reconstitution	Reconstitute with 0.5 ml distilled water
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	Ig concentration 0.1 mg/ml after reconstitution
Immunogen	Human IL33-N1 fusion protein

**External Database
Links**

UniProt:

[O95760](#) [Related reagents](#)

Entrez Gene:

[90865](#) IL33 [Related reagents](#)

Synonyms

C9orf26, IL1F11, NFHEV

Specificity

Human anti Human Interleukin-33 antibody, clone AbD07786 recognizes human Interleukin-33 (IL-33), a cytokine formerly known as NF-HEV (nuclear factor from high endothelial venules).

IL-33 belongs to the IL-1 super family which signals through interaction with the ST2 and Toll-interleukin 1 (IL-1) receptors, and is known to act as an immunoregulator of T helper 2 (Th2) cell cytokine synthesis. IL-33 is abundantly expressed in high endothelial venules and found in tonsils, Peyer's patches and mesenteric lymph nodes.

ELISA

This product may be used in an indirect ELISA or as a capture antibody in a sandwich ELISA together with [AHP1482B](#) as the detection reagent.

Further Reading

1. Joshi, A.D. *et al.* (2010) Interleukin-33 contributes to both M1 and M2 chemokine marker expression in human macrophages. [BMC Immunol. 11: 52.](#)

Storage

Prior to reconstitution store at +4°C.
After reconstitution store at -20°C.
Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

12 months from date of reconstitution

Acknowledgements

Sold under license of U.S. Patents 6753136, 7785859 and 8273688 and corresponding patents. This antibody was developed by Bio-Rad, Zeppelinstr. 4, 82178 Puchheim, Germany. His-tag is a registered trademark of EMD Biosciences.

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory

For research purposes only

Technical Advice

Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the [HuCAL Antibodies Technical Manual](#)

Related Products

Recommended Secondary Antibodies

Mouse Anti Synthetic Peptide HISTIDINE TAG (MCA5995...) [HRP](#)

Mouse Anti Synthetic Peptide HISTIDINE TAG (MCA1396...) [ALEXA FLUOR® 488](#), [ALEXA FLUOR® 647](#), [Alk. Phos.](#), [Biotin](#), [FITC](#)

Mouse Anti Human C-MYC (MCA2200...) [ALEXA FLUOR® 488](#), [ALEXA FLUOR® 647](#), [Alk. Phos.](#), [Biotin](#), [FITC](#), [HRP](#), [RPE](#)

Recommended Negative Controls

HuCAL Fab-dHLX-MH NEGATIVE CONTROL (HCA052)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M320973:180726'

Printed on 18 Sep 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)