

## Datasheet: HCA140A

<b>Description:</b>	HUMAN ANTI HUMAN INTERLEUKIN-33
<b>Specificity:</b>	IL-33
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	AbD07786
<b>Isotype:</b>	HuCAL Fab bivalent
<b>Quantity:</b>	50 µg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	
Functional Assays			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	A bivalent human recombinant Fab (lambda light chain) selected from the HuCAL® phage display library, expressed in <i>E. coli</i> . This Fab fragment is dimerized via a helix-turn-helix motif. The antibody is tagged with a myc-tag (EQKLISEEDL) and a his-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied lyophilized.
<b>Reconstitution</b>	Reconstitute with 0.5 ml distilled water
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	Ig concentration 0.1 mg/ml after reconstitution
<b>Immunogen</b>	Human IL33-N1 fusion protein

**External Database  
Links**

**UniProt:**

[O95760](#)   [Related reagents](#)

**Entrez Gene:**

[90865](#)   IL33   [Related reagents](#)

---

**Synonyms**

C9orf26, IL1F11, NFHEV

---

**Specificity**

**Human anti Human Interleukin-33 antibody, clone AbD07786** recognizes human Interleukin-33 (IL-33), a cytokine formerly known as NF-HEV (nuclear factor from high endothelial venules).

IL-33 belongs to the IL-1 super family which signals through interaction with the ST2 and Toll-interleukin 1 (IL-1) receptors, and is known to act as an immunoregulator of T helper 2 (Th2) cell cytokine synthesis. IL-33 is abundantly expressed in high endothelial venules and found in tonsils, Peyer's patches and mesenteric lymph nodes.

---

**ELISA**

This product may be used in an indirect ELISA or as a capture antibody in a sandwich ELISA together with [AHP1482B](#) as the detection reagent.

---

**Further Reading**

1. Joshi, A.D. *et al.* (2010) Interleukin-33 contributes to both M1 and M2 chemokine marker expression in human macrophages. [BMC Immunol. 11: 52.](#)

---

**Storage**

Prior to reconstitution store at +4°C.  
After reconstitution store at -20°C.  
Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Shelf Life**

12 months from date of reconstitution

---

**Acknowledgements**

Sold under license of U.S. Patents 6753136, 7785859 and 8273688 and corresponding patents. This antibody was developed by Bio-Rad, Zeppelinstr. 4, 82178 Puchheim, Germany. His-tag is a registered trademark of EMD Biosciences.

---

**Health And Safety  
Information**

Material Safety Datasheet documentation #10040 available at:  
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

---

**Regulatory**

For research purposes only

---

**Technical Advice**

Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the [HuCAL Antibodies Technical Manual](#)

---

## Related Products

### Recommended Secondary Antibodies

Mouse Anti Synthetic Peptide HISTIDINE TAG (MCA5995...) [HRP](#)

Mouse Anti Synthetic Peptide HISTIDINE TAG (MCA1396...) [ALEXA FLUOR® 488](#), [ALEXA FLUOR® 647](#), [Alk. Phos.](#), [Biotin](#), [FITC](#)

Mouse Anti Human C-MYC (MCA2200...) [ALEXA FLUOR® 488](#), [ALEXA FLUOR® 647](#), [Alk. Phos.](#), [Biotin](#), [FITC](#), [HRP](#), [RPE](#)

## Recommended Negative Controls

### HuCAL Fab-dHLX-MH NEGATIVE CONTROL (HCA052)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M320973:180726'

**Printed on 23 Oct 2018**

---

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)