

Datasheet: HCA160

Description:	HUMAN ANTI PLASMODIUM FALCIPARUM HRPII		
Specificity:	HISTIDINE RICH PROTEIN II		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	AbD14971_hlgG1		
lsotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
	<u></u>	Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen					
	Immunohistology - Paraffin					
	ELISA	•				
	Immunoprecipitation					
	Western Blotting					
	Where this product has r	not been te	ested for u	ise in a particular tech	inique this does not	
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Protozoan					
Product Form	Human IgG1 antibody (lambda light chain) selected from the HuCAL phage display library and expressed in a human cell line. This product is supplied as liquid.					
Preparation	Purified IgG prepared by affinity chromatography on Protein A					
Source	HKB-11					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% sodium azide (Na	N ₃)				

Approx. Protein Concentrations	IgG concentration 0.5 mg/ml				
Immunogen	Recombinant HRPII fusion protein from <i>Plasmodium falciparum</i> .				
External Database Links	UniProt: Q25878 Related reagents				
RRID	AB_10896836				
Specificity	Human anti <i>Plasmodium falciparum</i> HRPII, clone AbD14971 recognizes HRPII (histidine rich protein II) from the Malaria causing protozoan species <i>Plasmodium falciparum</i> .				
	Clone AbD14971 was selected by phage display under heat stress conditions. The Tm value for thermal denaturation of the antibody was measured by CD spectroscopy and has been found to be 70 °C.				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store a -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	12 months from date of despatch				
Acknowledgements	This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details.				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/HCA160 10040				
Licensed Use	For <i>in vitro.</i> research purposes only, unless otherwise specified in writing by Bio-Rad.				
Regulatory	For research purposes only				
Technical Advice	Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the <u>HuCAL Antibodies Technical Manual</u> .				
rth & South Tel: +1 800 265 erica Fax: +1 919 874					

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428303:240301'

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint