

# Datasheet: HCA173 BATCH NUMBER 163796

Description:	HUMAN ANTI CHICKEN CD25
Specificity:	CD25
Other names:	IL-2 RECEPTOR ALPHA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AbD13504
Isotype:	HuCAL Fab bivalent
Quantity:	0.1 mg

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat - 1/100
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation			•	
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Chicken
Does not react with:Duck, Goose
A bivalent human recombinant Fab (lambda light chain) selected from the HuCAL phage display library, expressed in <i>E.coli</i> . This Fab fragment is dimerized via a helix-turn-helix motif. The antibody is tagged with a myc-tag (EQKLISEEDL) and a his-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied as a liquid.
Metal chelate affinity chromatography

Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )		
Approx. Protein Concentrations	Antibody concentration 0.5 mg/ml		
Immunogen	Recombinantly expressed his-tagged chicken CD25		
External Database Links	UniProt:  Q90WJ4 Related reagents		
Specificity	Human anti Chicken CD25 antibody, clone AbD13504 recognizes the chicken IL-2 receptor alpha chain (IL-2Rα), identified as the chicken homologue of human CD25 and cited as ChCD25 in published literature.  Chicken IL-2Rα is a cell surface antigen expressed by activated T-lymphocytes, monocytes/macrophages and thrombocytes.  CD4+ve/CD25+ve and CD8+ve/CD25+ve cells are up-regulated following infection with avian influenza virus (H9N2) and may therefore have an important role in the immune response to avian influenza virus infection (Huang et al. 2012).  Chicken IL-2Rα is the low affinity receptor for Interleukin-2.		
References	<ol> <li>Braukmann, M. <i>et al.</i> (2015) Avian CD25(+) gamma/delta (γδ) T cells after <i>Salmonella</i> exposure. Vet Immunol Immunopathol. 168 (1-2): 14-8.</li> <li>Polasky C <i>et al.</i> (2016) Non-specific activation of CD8α-characterised γδ T cells in PBL cultures of different chicken lines. Vet Immunol Immunopathol. 179: 1-7.</li> <li>Lee, I.K. <i>et al.</i> (2018) Regulation of CD4<sup>+</sup>CD8<sup>-</sup>CD25<sup>+</sup> and CD4<sup>+</sup>CD8<sup>+</sup>CD25<sup>+</sup> T cells by gut microbiota in chicken. Sci Rep. 8 (1): 8627.</li> <li>He, S. <i>et al.</i> (2021) High-frequency and activation of CD4<sup>+</sup>CD25<sup>+</sup> T cells maintain persistent immunotolerance induced by congenital ALV-J infection. Vet Res. 52 (1): 119.</li> </ol>		
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.  Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.		
Guarantee	12 months from date of despatch		
Acknowledgements	This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details.  His-tag is a trademark of EMD Biosciences.		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/HCA173">https://www.bio-rad-antibodies.com/SDS/HCA173</a>		

1	n	n	4	U
	ıv	u	4	u

Licensed Use	For in vitro. research purposes only, unless otherwise specified in writing by Bio-Rad.
Regulatory	For research purposes only
Technical Advice	Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the <u>HuCAL Antibodies Technical Manual</u> .

## **Related Products**

America

## **Recommended Secondary Antibodies**

Mouse Anti Synthetic Peptide HISTIDINE TAG (MCA1396...) <u>ALEXA FLUOR® 488</u>, <u>ALEXA FLUOR® 647</u>, <u>DyLight®800</u>, <u>FITC</u>

## **Recommended Negative Controls**

HuCAL Fab-dHLX-MH NEGATIVE CONTROL (HCA052)

#### **Recommended Useful Reagents**

MOUSE ANTI CHICKEN CD25 (MCA5925GA)

**North & South** Tel: +1 800 265 7376 **Worldwide** 

Fax: +1 919 878 3751

Email: antibody\_sales\_us@bio-rad.com

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739

Email: antibody\_sales\_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M407459:221007'

#### Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint