

## Datasheet: HCA182

<b>Description:</b>	HUMAN ANTI BEVACIZUMAB
<b>Specificity:</b>	BEVACIZUMAB
<b>Other names:</b>	AVASTIN
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	AbD17976
<b>Isotype:</b>	HuCAL Fab monovalent
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	■			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

### Product Form

A monovalent human recombinant Fab (lambda light chain) selected from the HuCAL® phage display library, expressed in *E. coli*. The antibody is tagged with a V5 tag and a double extended Strep-tag. This antibody is supplied as a liquid.

### Preparation

StrepTactin affinity chromatography

### Buffer Solution

Phosphate buffered saline

### Preservative Stabilisers

0.01% Thiomersal

### Approx. Protein Concentrations

Antibody concentration 0.5 mg/ml

### Immunogen

Bevacizumab

### Specificity

**Human Anti-Bevacizumab Antibody**, clone AbD17976 is a paratope specific, recombinant, anti-idiotypic antibody that specifically recognizes the monoclonal antibody drug bevacizumab and inhibits the binding of the drug to its target, vascular endothelial growth factor A (VEGF-A). The antibody can be used to measure the levels of free bevacizumab and biosimilar products using bioanalytical assays.

A pair of anti-bevacizumab antibodies can be used to develop a pharmacokinetic (PK) bridging

ELISA to measure free drug. This antibody, in monovalent Fab format, is recommended as the capture antibody, paired with Anti-Bevacizumab Antibody in full immunoglobulin format, clone AbD16748\_hlgG1 ([HCA184P](#)) as the detection antibody.

Bevacizumab (reference product branded as Avastin) is a humanized monoclonal antibody (IgG1/kappa) that inhibits angiogenesis by binding to VEGF-A. VEGF-A is a potent stimulator of angiogenesis of both normal and cancerous cells, and acts as a regulator of vasculogenesis. Bevacizumab is used to treat various cancers, including colorectal, lung, breast, glioblastoma, kidney and ovarian.

[View a summary of all Anti-Bevacizumab Antibodies.](#)

---

<b>Affinity</b>	The monovalent intrinsic affinity of this antibody was measured as $K^D=0.4$ nM by real time, label-free molecular interaction analysis on immobilized bevacizumab.
<b>ELISA</b>	This product may be used in an indirect ELISA or as a capture antibody in a sandwich ELISA together with <a href="#">HCA184P</a> as the detection reagent. Protocol: <a href="#">PK bridging ELISA to measure free drug</a>
<b>References</b>	<ol style="list-style-type: none"><li>McFarland, T.J. <i>et al.</i> (2015) BEVACIZUMAB LEVELS IN BREAST MILK AFTER LONG-TERM INTRAVITREAL INJECTIONS. <a href="#">Retina. 35 (8): 1670-3.</a></li><li>Iwamoto, N. <i>et al.</i> (2018) Antibody drug quantitation in coexistence with anti-drug antibodies on nSMOL bioanalysis. <a href="#">Anal Biochem. 540-541: 30-7.</a></li></ol>
<b>Storage</b>	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
<b>Guarantee</b>	12 months from date of despatch
<b>Acknowledgements</b>	Sold under license of U.S. Patents 6753136, 7785859 and 8273688 and corresponding patents. This antibody was developed by Bio-Rad, Zeppelinstr. 4, 82178 Puchheim, Germany.  Avastin is a trademark of Genentech, Inc.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10094 available at: 10094: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10094.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10094.pdf</a>
<b>Licensed Use</b>	For in vitro research purposes and for commercial applications for the provision of in vitro testing services to support preclinical and clinical drug development. Any re-sale in any form or any other commercial application needs a written agreement with Bio-Rad.
<b>Regulatory</b>	For research purposes only
<b>Technical Advice</b>	Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the <a href="#">HuCAL Antibodies Technical Manual</a>

---

## Related Products

### Recommended Secondary Antibodies

Mouse Anti Synthetic Peptide STREP-TAG CLASSIC (MCA2489...) [HRP](#)

Mouse Anti Viral V5-TAG (MCA1360...)

[Alk. Phos.](#), [Biotin](#), [HRP](#)

## **Recommended Useful Reagents**

[HUMAN ANTI BEVACIZUMAB \(HCA184\)](#)

[HUMAN ANTI BEVACIZUMAB \(HCA185\)](#)

[LYNX RAPID HRP ANTIBODY CONJUGATION KIT \(LNK001P\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M371591:200612'

**Printed on 11 Aug 2020**

---

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)