

## Datasheet: HCA274

<b>Description:</b>	HUMAN ANTI GOLIMUMAB (DRUG/TARGET COMPLEX)
<b>Specificity:</b>	GOLIMUMAB DRUG/TARGET COMPLEX
<b>Other names:</b>	SIMPONI®
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	AbD25705
<b>Isotype:</b>	HuCAL Fab monovalent
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Product Form</b>	A monovalent human recombinant Fab (lambda light chain) selected from the HuCAL® phage display library, expressed in <i>E. coli</i> . The antibody is tagged with a DYKDDDDK tag and a HIS-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied as a liquid.
<b>Preparation</b>	Metal chelate affinity chromatography
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.01% Thiomersal
<b>Approx. Protein Concentrations</b>	Antibody concentration 0.5 mg/ml
<b>Immunogen</b>	Golimumab/TNF $\alpha$ complex

<b>Specificity</b>	<p><b>Human anti golimumab (drug/target complex), clone AbD25705</b> is an affinity matured recombinant antibody in monovalent Fab format that specifically recognizes golimumab when in complex with its target, tumor necrosis factor alpha (TNF<math>\alpha</math>). Clone AbD25705 does not recognize unbound golimumab nor free TNF<math>\alpha</math>. The antibody can be used in a pharmacokinetic (PK) antigen capture format assay to measure golimumab that has been captured via immobilized human TNF<math>\alpha</math>. It is ideal for bioanalytical assays to measure the level of drug or biosimilar in complex with the TNF<math>\alpha</math> target.</p> <p>Golimumab, marketed under the brand name Simponi®, is a recombinant human IgG1/kappa monoclonal antibody approved for the treatment of rheumatoid arthritis, psoriatic arthritis and ankylosing spondylitis. This therapeutic antibody, directed against TNF<math>\alpha</math>, acts by blocking the binding of TNF<math>\alpha</math> to its receptors, resulting in a down-regulation of the inflammatory response associated with autoimmune diseases.</p> <p><a href="#">View a summary of all anti-golimumab antibodies</a></p>
<b>Affinity</b>	<p>The monovalent intrinsic affinity of AbD25705 was measured as <math>K_D = 6</math> nM by real time, label free molecular interaction analysis on immobilized golimumab in complex with human TNF<math>\alpha</math>.</p>
<b>ELISA</b>	<p>This product may be used in an indirect ELISA to detect the golimumab/TNF<math>\alpha</math> complex or to detect golimumab bound to immobilized TNF<math>\alpha</math>.</p> <p>Protocol: <a href="#">PK antigen capture ELISA to measure bound drug exclusively</a></p>
<b>References</b>	<p>1. Harth, S. <i>et al.</i> (2019) Generation by phage display and characterization of drug-target complex-specific antibodies for pharmacokinetic analysis of biotherapeutics. <a href="#">MAbs. 11 (1): 178-190.</a></p>
<b>Storage</b>	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
<b>Guarantee</b>	<p>12 months from date of despatch</p>
<b>Acknowledgements</b>	<p>This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See <a href="http://bio-rad.com/en-us/trademarks">bio-rad.com/en-us/trademarks</a> for details.</p> <p>His-tag is a registered trademark of EMD Biosciences.</p>
<b>Health And Safety Information</b>	<p>Material Safety Datasheet documentation #10094 available at: 10094: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10094.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10094.pdf</a></p>
<b>Licensed Use</b>	<p>For in vitro research purposes and for commercial applications for the provision of in vitro testing services to support preclinical and clinical drug development. Any re-sale in any form or any other commercial application needs a written agreement with Bio-Rad.</p>

**Regulatory** For research purposes only

---

**Technical Advice** Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the [HuCAL Antibodies Technical Manual](#)

---

## Related Products

### Recommended Useful Reagents

[HISPEC ASSAY DILUENT \(BUF049A\)](#)

[MOUSE ANTI PENTA HISTIDINE TAG:HRP \(MCA5995P\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M391782:211015'

**Printed on 21 Mar 2022**

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)