

Datasheet: HCA353

Description:	ANTI PAN-ADP-RIBOSE
Specificity:	PAN-ADP-RIBOSE
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AbD33641
Isotype:	HuCAL Fab bivalent
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			
Western Blotting	▪			2 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Protein/peptide tag

Product Form

A bivalent human recombinant Fab (lambda light chain) selected from the HuCAL phage display library. Expressed in *E. coli*. This Fab fragment is bivalent by dimerization of the bacterial alkaline phosphatase fusion protein. The antibody is tagged with a DYKDDDDK tag and a HIS-tag (HHHHHH) at the C-terminus of the antibody heavy chain. This antibody is supplied as liquid.

Preparation

Metal chelate affinity chromatography

Source

E. coli

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN₃)

Carrier Free

Yes

Approx. Protein Concentrations	Total protein concentration 0.5 mg/ml
Immunogen	ARTKQTARKS(ADPr)TGGKAC
Specificity	<p>Anti pan-ADP-ribose antibody, clone AbD33641, recognizes both mono- and poly-adenosine diphosphate (ADP)-ribosylation. ADP-ribosylation is a reversible post-translational modification that occurs in multicellular organisms as well as some lower unicellular eukaryotes, but is absent in prokaryotes and yeast (Bürkle 2005). ADP ribosylation has been shown to play critical roles in many physiological and pathological processes, including bacterial pathogenesis and signaling and metabolism to control chromatin-related processes including transcription and DNA repair (Bonfiglio et al. 2020, Bütepage et al. 2015).</p> <p>Members of the ADP-ribosyltransferase (ART) superfamily of proteins catalyze the transfer of ADP-ribose from nicotinamide adenine dinucleotide (NAD⁺) onto substrate protein via N-, O-, or S-glycosidic linkages. These transferases are able to transfer a single ADP-ribose residue to their substrate proteins, in a process known as mono-ADP-ribosylation. They are also able to attach additional ADP-ribose residues to create either linear or branched chains of ADP-ribose poly-ADP-ribosylation (Bütepage et al. 2015).</p> <p>Anti pan-ADP-ribose antibody, clone AbD33641 has been used in ELISAs and Western blotting against free poly-ADP-ribose and free mono-ADP-ribose to characterise the specificity of this clone (Bonfiglio et al. 2020).</p>
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Acknowledgements	<p>This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details.</p> <p>His-tag is a trademark of EMD Biosciences.</p>
Health And Safety Information	<p>Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/HCA353 10040</p>
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

[ANTI MONO-ADP-RIBOSE \(HCA354\)](#)

[ANTI MONO-ADP-RIBOSE \(HCA355\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M428525:240301'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)