Datasheet: HCA402 BATCH NUMBER 165785

Description:	HUMAN ANTI HUMAN CD127
Specificity:	CD127
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AbD11590kb
Isotype:	HuCAL/mouse IgG2a Fc
Quantity:	0.1 mg

Product Details

Applications	This product has been re derived from testing with communications from the	in our lab	oratories,	peer-reviewed publica	tions or personal	
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
	<u></u> ,,	Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	•				
	ELISA	-				
	Where this product has in necessarily exclude its us a guide only. It is recommission on the secommission of the secommission	ise in sucł mended tł	n procedu nat the us	res. Suggested workin er titrates the product f	g dilutions are given as	
Target Species	Human					
Product Form	Recombinant chimeric human/mouse IgG2a antibody selected from the HuCAL phage display library and expressed in a human cell line. The antibody has variable regions of human origin and an Fc portion (including CH1 and CL domains) from mouse IgG2a. This antibody is supplied as a liquid.					
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant					
Source	HKB-11					
Buffer Solution	Phosphate buffered salir	ne				
Preservative Stabilisers	0.09% Sodium Azide (Na	aN ₃)				

Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Recombinant human IL-7 R alpha/CD127/Fc chimera
External Database Links	UniProt: <u>P16871</u> <u>Related reagents</u> Entrez Gene: <u>3575</u> IL7R <u>Related reagents</u>
Specificity	Human anti Human CD127 antibody, clone AbD11590kb recognizes the alpha chain of the human interleukin-7 receptor (IL-7R), which is also known as CD127. CD127 is a ~65-75 kDa transmembrane glycoprotein that associates with the interleukin-2 receptor gamma chain to form the functional high affinity IL-7 receptor. CD127 is expressed on lymphoid precursors in the bone marrow, pro-B cells, a subpopulation of thymocytes, T-cells and monocytes. CD127 is the specific receptor for IL-7 and the IL-7 receptor plays a critical role in lymphoid development.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store a -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Acknowledgements	This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/HCA402 10040
Regulatory	For research purposes only
Technical Advice	Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the <u>HuCAL Antibodies Technical Manual</u> .
rth & South Tel: +1 800 265 nerica Fax: +1 919 878	

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419977:230705'

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint