

Datasheet: HCA402

Description:	HUMAN ANTI HUMAN CD127
Specificity:	CD127
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AbD11590kb
Isotype:	HuCAL/mouse IgG2a Fc
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
ELISA	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Recombinant chimeric human/mouse IgG2a antibody selected from the HuCAL phage display library and expressed in a human cell line. The antibody has variable regions of human origin and an Fc portion (including CH1 and CL domains) from mouse IgG2a. This antibody is supplied as a liquid.
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Source	HKB-11
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Approx. Protein	IgG concentration 0.5 mg/ml

Concentrations

Immunogen	Recombinant human IL-7 R alpha/CD127/Fc chimera
-----------	---

External Database Links

UniProt:

[P16871](#)

[Related reagents](#)

Entrez Gene:

[3575](#)

IL7R

[Related reagents](#)

RRID	AB_2943335
------	------------

Specificity	Human anti Human CD127 antibody, clone AbD11590kb recognizes the alpha chain of the human interleukin-7 receptor (IL-7R), which is also known as CD127. CD127 is a ~65-75 kDa transmembrane glycoprotein that associates with the interleukin-2 receptor gamma chain to form the functional high affinity IL-7 receptor. CD127 is expressed on lymphoid precursors in the bone marrow, pro-B cells, a subpopulation of thymocytes, T-cells and inflammatory monocytes. CD127 is the specific receptor for IL-7 and the IL-7 receptor plays a critical role in lymphoid development.
-------------	--

Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
---------	---

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
-----------	---------------------------------

Acknowledgements	This product and/or its use is covered by claims of U.S. patents, and/or pending U.S. and non-U.S. patent applications owned by or under license to Bio-Rad Laboratories, Inc. See bio-rad.com/en-us/trademarks for details.
------------------	--

Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/HCA402
-------------------------------	--

Regulatory	For research purposes only
------------	----------------------------

Technical Advice	Recommended protocols and further information about HuCAL recombinant antibody technology can be found in the HuCAL Antibodies Technical Manual .
------------------	---

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M442169:250528'

Printed on 24 Jun 2025
