

## Datasheet: ICT9158

**BATCH NUMBER 162139**

<b>Description:</b>	PYROPTOSIS 660 CASPASE-1 KIT
<b>Name:</b>	PYROPTOSIS 660 CASPASE-1
<b>Format:</b>	660 (Red Fluorescence)
<b>Product Type:</b>	Kits
<b>Quantity:</b>	25 TESTS

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Refer to Instructions For Use
Immunofluorescence	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FLICA 660	660	685

**Product Information** **Pyroptosis 660 Caspase-1 Kit** utilizes the popular FLICA technology to detect caspase-1 activation. This kits contain the caspase-1 inhibitor reagent YVAD-FMK, which has the preferred binding sequence for caspase-1, Tyr-Val-Ala-Asp (YVAD) ([Chapman, 1992](#)). This preferred caspase-1 binding sequence is labeled with 660 a far red fluorescent dye and linked to a fluoromethyl ketone (FMK) reactive entity. Caspase-1 will not cleave the FLICA inhibitor probe; instead, it forms an irreversible covalent bond with the FMK group on the reagent and becomes inhibited from further enzymatic activity.

### Test Principle

To use FLICA, add directly to the cell culture medium, incubate, and wash. FLICA is cell-permeant and will efficiently diffuse in and out of all cells. If there is an active caspase-1 enzyme inside the cell, it will covalently bind with YVAD-FMK and retain the fluorescent signal within the cell. Unbound FLICA will diffuse out of the cell during the subsequent wash steps. Therefore, positive cells will retain a higher concentration of FLICA and fluoresce brighter than negative cells. There is no interference from

pro-caspases or inactive forms of the enzymes. After labeling with FLICA, cells can be counter-stained with other reagents and fixed or frozen. Cells labeled with YVAD-FMK can be counter-stained with reagents such as the red live/dead stains Propidium Iodide and 7-AAD. Nuclear morphology may be concurrently observed using Hoechst 33342 (included in the kit), a blue DNA-binding dye. Cells can be viewed through a fluorescence microscope or flow cytometer.

---

**Reagents In The Kit** 1 vial of 660-YVAD-FMK caspase-1 inhibitor - lyophilized

1 vial Nigericin  
10x Cellular Wash Buffer, 15 mL  
Fixative, 6 mL  
1 vial Hoechst Stain, 1 ml

---

**Instructions For Use** Instructions for use can be found at <https://www.bio-rad-antibodies.com/static/uploads/ifu/ict9158.pdf>

---

**Storage** MULTIPLE STORAGE CONDITIONS APPLY ON ARRIVAL. Store the unopened kit (and each unopened component) according to the storage instructions on each component label. Store the Nigericin at -20°C. Once reconstituted, the Nigericin stock should be used immediately or aliquoted and stored at -20°C for 12 months. Avoid repeated freezing and thawing.

---

**Guarantee** Guaranteed until date of expiry. Please see product label.

---

**Acknowledgements** FLICA is a trademark of Immunochemistry Technologies, LLC.

---

**Health And Safety Information** Material Safety Datasheet documentation #20374 #10476 #20431 #20435 #10498 available at:

<https://www.bio-rad-antibodies.com/SDS/ICT9158>  
660-YVAD-FMK caspase-1 inhibitor reagent (20374)  
Hoechst Stain (10476)  
Nigericin (20431)  
10X Cellular Wash Buffer (20435)  
Fixative (10498)

---

**Regulatory** For research purposes only

---

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M392025:211020'

**Printed on 17 Apr 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)