

## Datasheet: ICT918 BATCH NUMBER 162416

| Description:  | ription: FAM FLICA™ CASPASE-2 KI |  |
|---------------|----------------------------------|--|
| Name:         | CASPASE-2                        |  |
| Format:       | FAM (Green Fluorescence)         |  |
| Product Type: | Kits                             |  |
| Quantity:     | 25 TESTS                         |  |

## **Product Details**

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . |     |    |                |                    |  |  |
|--------------|--|-----|----|----------------|--------------------|--|--|
|              |  | Yes | No | Not Determined | Suggested Dilution |  |  |
|              | Flow Cytometry   | -   |    |                |                    |  |  |
|              | Immunofluorescence   | -   |    |                |                    |  |  |
|              | Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.   |     |    |                |                    |  |  |

| FAM 494 520 | Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm) |
|-------------|-----------|-------------|---------------------|-------------------|
|             |           | FAM         | 494                 | 520               |

Product Information The FAM FLICA Caspase-2 Kit uses a quick and easy method to analyze active caspases in apoptotic cells.

Test PrincipleCaspase FLICA kits measure apoptosis by detecting active caspases in whole, living cells.<br/>These kits do not work by using antibodies or as an ELISA. Instead, their methodology is<br/>based on a unique cell-permeable and non-cytotoxic reagent called the Fluorochrome<br/>Inhibitor of Caspases (FLICA). The FLICA reagent contains a caspase inhibitor sequence<br/>linked to a green (Carboxyfluorescein, FAM) fluorescent probe.

The Caspase FLICA kits are suitable for cells in suspension and adherent cells from many species including mammalian, insect and yeast. Different cell types, e.g. HeLa, primary neurons, macrophages and lymphocytes have also been successfully studied with these kits.

This kit can be used with a flow cytometer, fluorescence microscope or a fluorescence

|  |  |   | Printed on 23 May 2025   |                    |   |  |
|--|--|---|--|--------------------|---|--|
| To find a b  | atch/lot speci   | fic datasheet for this pr                           | oduct, please use our online<br>'M374937:201208'                                       | search tool at:    | bio-rad-antibodies.com/datashee   |  |
| orth & South<br>nerica   | Tel: +1 800 265<br>Fax: +1 919 878<br>Email: antibody_ |   | e Tel: +44 (0)1865 852 700<br>Fax: +44 (0)1865 852 739<br>Email: antibody_sales_uk@bic | Europe<br>-rad.com | Tel: +49 (0) 89 8090 95 21<br>Fax: +49 (0) 89 8090 95 50<br>Email: antibody_sales_de@bio-rad.co |  |
| Regulato   | ry   | For research purpo                                  | ses only   |                    |   |  |
|  |  | Hoechst 33342 (10<br>Propidium lodide (1            |  |                    |   |  |
|  |  | Fixative (10498)                                    |  |                    |   |  |
|  |  | FAM-VDVAD-FMK<br>10x Apoptosis Was                  | FLICA Reagent (20281)<br>b Buffer (10471)  |                    |   |  |
|  |  |   | -antibodies.com/SDS/ICT9   | 18                 |   |  |
| Health And SafetyMaterial Safety Datasheet documentation #20281 #10471 #Informationavailable at: |  | #10498 #10476 #10477                                |  |                    |   |  |
|  | edgements  |   | mark of Immunochemistry  |                    |   |  |
| Guarante   | e  | Guaranteed until da                                 | ate of expiry. Please see p  | roduct label.      |   |  |
|  |  | months protected f                                  | rom light and thawed no m  | ore than twic      | e during that time.   |  |
| Storage  |  |   | •  | •                  | +4°C until the expiration date<br>liately, or store at -20°C for 6                              |  |
| Instructio   | ons For Use  | Instructions for use                                | can be found at <u>www.bio-</u>  | rad-antibodie      | s.com/uploads/IFU/ICT918.pc   |  |
|  |  | Hoechst 33342, 1 r                                  |  |                    |   |  |
|  |  | Fixative, 6 mL<br>Propidium lodide, 1               | mL   |                    |   |  |
|  |  | 10x Apoptosis Was                                   | h Buffer, 15 mL  |                    |   |  |
| Reagents   | s In The Kit   | 1 vial of FAM-VDVAD-FMK FLICA Reagent - lyophilized |  |                    |   |  |
|  |  | 1 5   | F  |                    |   |  |
|  |  | plate reader using                                  | black microtitre plates.   |                    |   |  |

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint