

Datasheet: ICT943

BATCH NUMBER 167476

| | |
|----------------------|---|
| Description: | MITOCHONDRIAL PERMEABILITY TRANSITION KIT |
| Name: | MITOCHONDRIAL PERMEABILITY TRANSITION:MitoPT JC-1 KIT |
| Format: | JC-1 Dye (Dual Green/Red Fluorescence) |
| Product Type: | Kits |
| Quantity: | 100 TESTS |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|--------------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | |
| Immunofluorescence | ▪ | | | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Product Information

The MitoPT JC-1 kit uses a quick and easy staining method to clearly differentiate between non-apoptotic and apoptotic cells through mitochondrial functionality.

Test Principle

An early indication of apoptosis involves a collapse in the electrochemical gradient across the mitochondrial membrane. Loss of mitochondrial membrane potential can be detected by a unique fluorescent cationic dye known as JC-1 (5,5',6,6'-tetrachloro-1,1',3,3'-tetraethylbenzamidazolocarboxyanin iodide) that has been incorporated into the MitoPT JC-1 kit.

The MitoPT JC-1 reagent easily penetrates cells and enters the mitochondria. It aggregates in the mitochondria of non-apoptotic cells and fluoresces red, whilst in apoptotic cells it diffuses throughout the cell. Once dispersed, the reagent assumes a monomeric form and fluoresces green. This allows an easy distinction between non-apoptotic red fluorescent cells and apoptotic green fluorescent cells which can be read with a flow cytometer, fluorescence microscope or a fluorescence plate reader using black microtitre plates.

Reagents In The Kit

MitoPT JC-1 Reagent, 100 tests
 10x Assay Buffer, 60 mL
 CCCP (50 mM in DMSO), 125 ul.

Instructions For Use Instructions for use can be found at www.bio-rad-antibodies.com/uploads/IFU/ICT943.pdf

References

1. Jasek, E. *et al.* (2012) Effect of histone deacetylase inhibitors trichostatin A and valproic acid on etoposide-induced apoptosis in leukemia cells. [Anticancer Res. 32 \(7\): 2791-9.](#)
2. Wei, X. *et al.* (2014) *In Vitro* Comparative Effect of Three Novel Borate Bioglasses on the Behaviors of Osteoblastic MC3T3-E1 Cells [J Mat Sci Technol. 30 \(10\): 979-83.](#)
3. Gizak, A. *et al.* (2019) Targeting a moonlighting function of aldolase induces apoptosis in cancer cells. [Cell Death Dis. 10 \(10\): 712.](#)
4. Gizak, A. *et al.* (2021) A novel remitting leukodystrophy associated with a variant in FBP2. [Brain Commun. 3 \(2\): fcab036.](#)
5. Lasota, M. *et al.* (2022) Property of a new Prussian blue-bounded iron complex able to peroxidate non-saturated fatty acids with a tendency to create conditions that may encourage ferroptosis. [J Physiol Pharmacol. 73 \(5\)Mar 16 \[Epub ahead of print\].](#)

Storage Store the unopened kit and each unopened component at -20°C until the expiration date. Once opened, some components may be stored at 2-8°C until the expiration date. CCCP should be stored frozen. Once reconstituted with DMSO, dilute and use MitoPT reagent immediately, or store at ≤-20°C for 12 months protected from light and thawed no more than twice.

Guarantee Guaranteed until date of expiry. Please see product label.

Acknowledgements MitoPT is a trademark of Immunochemistry Technologies, LLC.

Health And Safety Information Material Safety Datasheet documentation #20291 #10474 #10479 available at: <https://www.bio-rad-antibodies.com/SDS/ICT943>
MitoPT JC-1 Reagent (20291)
10x Assay Buffer (10474)
CCCP Reagent (10479)

Regulatory For research purposes only.

Related Products

Recommended Useful Reagents

[MITOCHONDRIAL PERMEABILITY TRANSITION KIT \(ICT944\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M404840:220906'

Printed on 29 Aug 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)