

Datasheet: LNK111PECY7 BATCH NUMBER 160456

Description:	LYNX RAPID RPE	E-Cy7 ANT		ONJUGATION KIT			
Name:	RPE-Cy7 CONJUGATION KIT						
Format:	Kit						
Product Type:	Conjugation Kit						
Quantity:	1 CONJUGATION						
Product Details							
Applications	This product has been re derived from testing with communications from the information. For general rad-antibodies.com/proto	nin our labo e originato protocol re	oratories, rs. Please	peer-reviewed publicate refer to references in	tions or personal dicated for further		
	Conjugation	-	NO	Not Determined	Suggested Dilution		
	pre-prepared lyophilized mixture containing R-Phycoerythrin (RPE)-Cy7 label to an antibody or protein. Activation of proprietary reagents within the antibody-label solution results in directional covalent bonding of RPE-Cy7 to the antibody. The LYNX Rapid Conjugation kit® can be used to label small quantities of antibody/protein at near neutral pH, allowing a high conjugation efficiency with 100% antibody recovery.						
Reagents In The Kit	1 Vial of 100ug LYNX lyophilized RPE-Cy7 mix 1 Vial LYNX Modifier reagent 1 Vial LYNX Quencher reagent						
Preparing The Antibody	The following buffer solutions are recommended for preparing the antibody:						
	10-50mM amine-free buffer (e.g HEPES, MES, MOPS and phosphate) pH range 6.5-8.5, although moderate concentrations of Tris buffer (<20mM) may be tolerated.						
	lf possible, avoid buffe amines and thiols (e.g.		-		• •		

chemicals. Azide (0.02-0.1%), EDTA, up to 50% Glycerol and common non-buffering salts and sugars have little or no effect on conjugation efficiency.

	Due to the large size of the RPE-Cy7 label, it is recommended that 50-60ug of antibody be used for every 100ug RPE-Cy7, to ensure a slight RPE-Cy7 molar excess (50ug antibody gives a 1:1 Ab:RPE-Cy7 molar ratio). For optimal results the antibody should be at a concentration of 1mg/ml, with a maximum volume of 60ul and a maximum antibody amount of 60ug. Antibody at a concentration of greater than 1mg/ml requires dilution. Antibody below 1mg/ml can still be used as long as the maximum volume is not exceeded. Using less than the recommended amount of antibody may result in unbound label, but this will be removed during subsequent application wash steps. Antibody below 0.5mg/ml should be concentrated before use with the kit.
Instructions For Use	1.To the antibody sample add 1ul of the Modifier reagent for every 10ul of antibody and mix gently.
	2.Pipette the mixed antibody-modifier sample directly onto the LYNX lyophilized mix and gently pipette up and down twice to resuspend.
	3.Replace cap onto vial and incubate in the dark at room temperature (20-25 ^o C) for 3 hours, or overnight if preferred.
	4.After incubation, add 1ul of Quencher reagent for every 10ul of antibody used. Leave to stand for 30 minutes before use.
References	 Gawronska-Kozak, B. <i>et al.</i> (2021) Dermal White Adipose Tissue (dWAT) Is Regulated by Foxn1 and Hif-1α during the Early Phase of Skin Wound Healing. Int J Mol Sci. 23 (1)Dec 27 [Epub ahead of print]. Haach, V. <i>et al.</i> (2023) A polyvalent virosomal influenza vaccine induces broad cellular and humoral immunity in pigs. Virol J. 20 (1): 181. Rotolo, A. <i>et al.</i> (2023) Unedited allogeneic iNKT cells show extended persistence in MHC-mismatched canine recipients. <u>Cell Rep Med. 4 (10): 101241.</u>
Storage	This kit contains lyophilized hygroscopic components that are moisture-sensitive. This kit is shipped under ambient conditions with silica packets to avoid exposure to moisture. On receipt, Bio-Rad recommend that the kit is stored at -20°C and protected from moisture. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing. Before opening, allow the components to reach room temperature to minimize condensation.
Guarantee	12 months from date of despatch
Acknowledgements	This product or portions thereof is manufactured under license from Carnegie Mellon University under U.S. Patent Number 5,268,486 and related patents. Cy and CyDye are trademarks of GE Healthcare Limited.
Health And Safety Information	Material Safety Datasheet documentation #10551 #10546 #10549 available at: <u>https://www.bio-rad-antibodies.com/SDS/LNK111PECY7</u>

	Quenche	er Reagent (1	546) 0549)		
Licensed Us	Kingdom purchase right (wit use the p purchase data mae purchasi at. Ende	a patent numb e of this produ- hout the right product to ma er cannot sell de using this p ng licenses for avour House,	her 2446088 and associa act conveys to the buyer to resell repackage or f ke conjugates for resea or otherwise transfer th product, or its compone or diagnostic and other u Langford Business Par	ated internati the limited, i urther sublice rch and deve is product, or nts to a third uses may be k, Langford L	atent protected under United onal patent applications. The non exclusive non-transferable ense) under these patents to elopment purposes only. The rits components, or materials or party. Further information on obtained by contacting Bio-Rad, .ane, Kidlington, Oxon. OX5 antibodies@bio-rad.com
Regulatory	For rese	arch purpose	s only		
America Fa	: +1 800 265 7376 x: +1 919 878 3751 nail: antibody_sales_us@bio	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bic	Europe -rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
To find a batc	h/lot specific datashee	et for this produ	uct, please use our online 'M390410:210910'	search tool at:	bio-rad-antibodies.com/datasheets
			Printed on 26 Jun 2024		