Datasheet: LNK162STR BATCH NUMBER 166003

Description:	LYNX RAPID STREPTAVIDIN ANTIBODY CONJUGATION KIT
Name:	STREPTAVIDIN CONJUGATION KIT
Format:	Kit
Product Type:	Conjugation Kit
Quantity:	1 CONJUGATION for 1mg antibody

Product Details

Applications	This product has been re- derived from testing withi communications from the information. For general p rad-antibodies.com/protoco Conjugation We recommend that for e ratio.	n our labo originato protocol re <u>cols</u> . Yes	oratories, ors. Please ecommen No	peer-reviewed publica e refer to references in dations, please visit <u>w</u> Not Determined	tions or personal idicated for further <u>ww.bio-</u> Suggested Dilution		
Product Information	 LYNX Rapid Streptavidin Antibody Conjugation Kit® enables the rapid conjugation of a pre-prepared lyophilized mixture containing Streptavidin label to an antibody or protein. Activation of proprietary reagents within the antibody-label solution results in the coupling of Streptavidin to the antibody. LYNX Rapid Streptavidin Antibody Conjugation Kit® can be used to label small quantities of antibody/protein at near neutral pH, allowing a high conjugation efficiency with 100% antibody recovery. 						
Reagents In The Kit	1 Vial of 1mg LYNX lyoph 1 Vial LYNX Modifier reac 1 Vial LYNX Quencher re	gent	eptavidin	mix			
Preparing The Antibody	The following buffer solutions are recommended for preparing the antibody: 10-50mM amine-free buffer (e.g HEPES, MES, MOPS and phosphate) pH range 6.5-8.5, although moderate concentrations of Tris buffer (<20mM) may be tolerated. Do not use buffers containing nucleophilic components e.g primary amines and thiols since they may react with LYNX chemicals. Azide (0.02-0.1%), EDTA and common non-buffering salts and sugars have little or no effect on conjugation efficiency. It is recommended that 1mg antibody be used in each labelling reaction. For optimal results the antibody should be at a concentration of 1mg/ml, with a maximum volume of						

	1ml and a maximum antibody amount of 1mg. Antibody at a concentration of greater than 1mg/ml requires dilution. Antibody below 1mg/ml can still be used as long as the maximum volume is not exceeded. Using less than the recommended amount of antibody may result in unbound label, but this will be removed during subsequent application wash steps. Antibody below 0.5mg/ml should be concentrated before use with the kit.
Instructions For Use	 To the antibody sample add 1µl of the Modifier reagent for every 10µl of antibody and mix gently. Pipette the mixed antibody-modifier sample directly onto the LYNX lyophilized mix and gently pipette up and down twice to resuspend. Replace cap onto vial and incubate at room temperature (20-25°C) for 3 hours or overnight.if preferred.
	4.After incubation, add 1µl of Quencher reagent for every 10µl of antibody used. Leave to stand for 30 minutes before use.
References	1. Welden, M. <i>et al.</i> (2022) Towards Multi-Analyte Detection with Field-Effect Capacitors Modified with <i>Tobacco Mosaic Virus</i> Bioparticles as Enzyme Nanocarriers. <u>Biosensors</u> (Basel). 12 (1): 43.
Storage	This kit contains lyophilized hygroscopic components that are moisture-sensitive. This kit is shipped under ambient conditions with silica packets to avoid exposure to moisture. On receipt, Bio-Rad recommend that the kit is stored at -20°C and protected from moisture. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing. Before opening, allow the components to reach room temperature to minimize condensation.
Guarantee	12 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10536 #10546 #10548 available at: <u>https://www.bio-rad-antibodies.com/SDS/LNK162STR</u> Lyophilized Streptavidin Mix (10536) Modifier Reagent (10546) Quencher Reagent (10548)
Licensed Use	Bio-Rad LYNX conjugation kits are offered for research purposes alone, and are not intended for human, therapeutic or diagnostic use. The purchase of this conjugation kit conveys to the buyer (whether the buyer is a not-for-profit, academic or for-profit entity) the non-transferable right to use the amount of product purchased and the components of the product for in-house research. The buyer shall not sell or otherwise transfer this product, its components, or materials prepared therefrom to any third party. The buyer shall not use this product or its components for commercial purposes. For the avoidance of doubt, ?commercial purposes? means any activity by a party for consideration and includes, without limitation, use of the product or its components (I) in the manufacturing of conjugated materials (e.g. labeled antibodies), (ii) to provide a service, information or data, (iii) for therapeutic, diagnostic or prophylactic purposes, or (iv) for repackaging/resale, whether or not such product or its components are resold for use in research. The use of this product by the buyer constitutes agreement with the terms of this limited use label license for LYNX products.

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-ra	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rac	Europe d.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com			
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M404970:220914'								

Printed on 29 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint