Datasheet: LNK222D488

BATCH NUMBER 151235

Description: Name:	LYNX RAPID PLUS DyLight®488 ANTIBODY CONJUGATION KIT
Name:	
	DyLight®488 CONJUGATION KIT
Format:	Kit
Product Type:	Conjugation Kit
Quantity:	1 CONJUGATION for 2mg antibody

	derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols. Yes No Not Determined Suggested Dilution						
	Conjugation	Yes	NO	Not Determined	Suggested Dilution		
	We recommend that for e ratio.	each conji	ugation th	e user determines the	best antibody:conjugate		
Product Information	Lynx Rapid Plus DyLig conjugation of a pre-prep antibody or protein. Activ results in the coupling of The LYNX Rapid Plus kit near neutral pH, allowing	oared lyop vation of p DyLight® ™ can be	hilized mi roprietary 488 to the used to l	xture containing DyLig reagents within the ar antibody. abel small quantities o	ht®488 label to an htibody-label solution of antibody/protein at		
Reagents In The Kit	1 Vial LYNX TM Rapid Plu 1 Vial LYNX TM Rapid Plu 1 Vial LYNX TM Rapid Plu	is Modifie	r reagent	·			
Preparing The Antibody	The following buffer solu	tions are i	recommer	nded for preparing the	antibody:		
	10-50mM amine-free buf	fer (e.g H	EPES, MI	ES, MOPS and phospl	nate) pH range 6.5-8.5.		
	Do not use buffers conta since they may react with Azide (0.02-0.1%), BSA non-buffering salts and s	n LYNX TM (0.1-0.5%	chemical), EDTA, (s, and Thiomersal sho Glycerol (up to 50%), a	ould also be avoided. and common		

	It is recommended that 1-2mg antibody be used in each labelling reaction. For optimal results the antibody should be at a concentration of 1mg/ml, with a maximum volume of 1ml and a recommended antibody amount of 1mg. A maximum of 2mg of antibody can be used to obtain good quality conjugates as long as the maximum conjugation volume of 1ml is not exceeded. Antibody below 1mg/ml can still be used as long as the maximum volume is not exceeded. Using less than the recommended amount of antibody may result in unbound label, but this will be removed during subsequent application wash steps. Antibody below 0.5mg/ml should be concentrated before use with the kit.
Instructions For Use	1.To the antibody sample add 1ul of the Rapid Plus Modifier reagent for every 10ul of antibody and mix gently.
	2.Pipette the mixed antibody-modifier sample directly onto the LYNX TM Rapid Plus lyophilized mix and gently pipette up and down twice to resuspend.
	3.Replace cap onto vial and incubate in the dark at room temperature (20-25 ^o C) for 15 minutes, or overnight if preferred.
	4.After incubation, add 1ul of Rapid Plus Quencher reagent for every 10ul of antibody used, and mix gently. Leave to stand for 4 minutes before use.
Storage	Store kit at -20°C only. Newly-conjugated antibody can be stored at 4°C. For long term storage however, the addition of a preservative is recommended. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10569 #10567 #10568 available at: https://www.bio-rad-antibodies.com/SDS/LNK222D488 Lyophilized Dylight 488 Mix (10569) Rapid Plus Quencher Reagent (10567) Rapid Plus Modifier Reagent (10568)
Licensed Use	Bio-Rad LYNX TM conjugation kits are offered for research purposes alone, and are not intended for human, therapeutic or diagnostic use. The purchase of this conjugation kit conveys to the buyer (whether the buyer is a not-for-profit, academic or for-profit entity) the non-transferable right to use the amount of product purchased and the components of the product for in-house research. The buyer shall not sell or otherwise transfer this product, its components, or materials prepared therefrom to any third party. The buyer shall not use this product or its components for commercial purposes. For the avoidance of doubt, ?commercial purposes? means any activity by a party for consideration and includes, without limitation, use of the product or its components (i) in the manufacturing of conjugated materials (e.g. labeled antibodies), (ii) to provide a service, information or data, (iii) for therapeutic, diagnostic or prophylactic purposes, or (iv) for

repackaging/resale, whether or not such product or its components are resold for use in research. The use of this product by the buyer constitutes agreement with the terms of this limited use label license for LYNXTM products.

Regulato	ry For res	search purpose	s only		
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50
	Email: antibody sales us@t	bio-rad.com	Email: antibody sales uk@bio	o-rad.com	Email: antibody sales de@bio-rad.com

Printed on 26 Jun 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint