

Datasheet: LNK241D650

BATCH NUMBER 167102

| Description: | LYNX RAPID PLUS DyLight®650 ANTIBODY CONJUGATION KIT | | | |
|---------------|--|--|--|--|
| Name: | DyLight®650 CONJUGATION KIT | | | |
| Format: | Kit | | | |
| Product Type: | Conjugation Kit | | | |
| Quantity: | 3 CONJUGATIONS for 200µg antibody | | | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|-------------|-----|----|----------------|--------------------|
| Conjugation | • | | | |

We recommend that for each conjugation the user determines the best antibody:conjugate ratio.

Reagents In The Kit

- 3 Vials LYNX Rapid Plus lyophilized DyLight 650 mix
- 1 Vial LYNX Rapid Plus Modifier reagent1 Vial LYNX Rapid Plus Quencher reagent.

Preparing The Antibody

The following buffer solutions are recommended for preparing the antibody:

10-50mM amine-free buffer (e.g HEPES, MES, MOPS and phosphate) pH range 6.5-8.5. Do not use buffers containing nucleophilic components e.g primary amines and thiols since they may react with LYNX chemicals, and Thiomersal should also be avoided. Azide (0.02-0.1%), BSA (0.1-0.5%), EDTA, Glycerol (up to 50%), and common non-buffering salts and sugars have little or no effect on conjugation efficiency.

It is recommended that 100-200µg antibody be used in each labeling reaction. For optimal results the antibody should be at a concentration of 1mg/ml, with a maximum volume of 100µl and a recommended antibody amount of 100µg. A maximum of 200µg of antibody can be used to obtain good quality conjugates as long as the maximum conjugation volume of 100µl is not exceeded. Antibody below 1mg/ml can still be used as long as the maximum volume is not exceeded. Using less than the recommended amount of antibody may result in unbound label, but this will be removed during subsequent application wash steps. Antibody below 0.5mg/ml should be concentrated before use with the kit.

Instructions For Use

1.To the antibody sample add 1µl of the Rapid Plus Modifier reagent for every 10µl of antibody and mix gently.

- 2. Pipette the mixed antibody-modifier sample directly onto the LYNX Rapid Plus lyophilized mix and gently pipette up and down twice to resuspend.
- 3.Replace cap onto vial and incubate in the dark at room temperature (20-25°C) for 15 minutes, or overnight if preferred.
- 4.After incubation, add 1µl of Rapid Plus Quencher reagent for every 10µl of antibody used, and mix gently. Leave to stand for 4 minutes before use.

Storage

This kit contains lyophilized hygroscopic components that are moisture-sensitive. This kit is shipped under ambient conditions with silica packets to avoid exposure to moisture. On receipt, Bio-Rad recommend that the kit is stored at -20°C and protected from moisture. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing. Before opening, allow the components to reach room temperature to minimize condensation.

Guarantee

12 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10571 #10567 #10568 available at:

https://www.bio-rad-antibodies.com/SDS/LNK241D650

Lyophilized Dylight 550 Mix (10571) Rapid Plus Quencher Reagent (10567) Rapid Plus Modifier Reagent (10568)

Licensed Use

Bio-Rad LYNX conjugation kits are offered for research purposes alone, and are not intended for human, therapeutic or diagnostic use. The purchase of this conjugation kit conveys to the buyer (whether the buyer is a not-for-profit, academic or for-profit entity) the non-transferable right to use the amount of product purchased and the components of the product for in-house research. The buyer shall not sell or otherwise transfer this product, its components, or materials prepared therefrom to any third party. The buyer shall not use this product or its components for commercial purposes. For the avoidance of doubt, 'commercial purposes' means any activity by a party for consideration and includes, without limitation, use of the product or its components (I) in the manufacturing of conjugated materials (e.g. labeled antibodies), (ii) to provide a service, information or data, (iii) for therapeutic, diagnostic or prophylactic purposes, or (iv) for repackaging/resale, whether or not such product or its components are resold for use in research. The use of this product by the buyer constitutes agreement with the terms of this limited use label license for LYNX products.

Regulatory

For research purposes only.

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M404986:220914'

Printed on 29 Aug 2024