

Datasheet: MCA1014FT

BATCH NUMBER 1806

Description:	MOUSE ANTI MOUSE CD44:FITC		
Specificity:	CD44		
Other names:	H-CAM, PGP-1		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	5035-41.1D		
Isotype:	lgG1		
Quantity:	25 μg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
Product Form	Purified IgG conjugate	ed to Fluorescein Isoth	niocyanate Isomer
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm
	FITC	490	525
uffer Solution	supernatant Phosphate buffered s	aline	
eservative	0.09% Sodium Azide		
abilisers	1% Bovine Serum	Δlhumin	
	170 DOVING SCIUM	Albumm	

Concentrations	
Immunogen	Spleen cells from B6PL-Ly-2a / Ly-3a B6-Ly-1a mice.
External Database Links	UniProt: P15379 Related reagents Entrez Gene: 12505 Cd44 Related reagents
Synonyms	Ly-24
RRID	AB_1102045
Fusion Partners	Spleen cells from immunized mice were fused with cells of the mouse P3-NS1-1-Ag4 myeloma cell line.
Specificity	Mouse anti Mouse CD44 antibody, clone 5035-41.1D recognizes human CD44, also known as Lymphocyte antigen 24, Extracellular matrix receptor III, GP90 lymphocyte homing/adhesion receptor, HUTCH-I, Phagocytic glycoprotein I (PGP-1), Hermes antigen or Hyaluronate receptor. CD44 is found on >90% bone marrow cells and spleen cells, 56% of thymus cells and 90% of lymph node cells.
	Mouse anti Mouse CD44 antibody, clone 5035-41.1D recognizes the following strains of mice:- C57BL/6, C57BL/10, C57/L, C58A, AKR, 129, SJL, NZB, C3H, CE, CBA/H.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood
References	 A, A. et al. (2001) Cell surface-expressed moesin-like receptor regulates T cell interactions with tissue components and binds an adhesion-modulating IL-2 peptide generated by elastase. J Immunol. 166 (5): 3052-60. Qian, K. et al. (2015) Effects of Tanshinone IIA on osteogenic differentiation of mouse bone marrow mesenchymal stem cells. Naunyn Schmiedebergs Arch Pharmacol. 388 (11): 1201-9.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety	Material Safety Datasheet documentation #10041 available at:

Information https://www.bio-rad-antibodies.com/SDS/MCA1014FT

10041

Regulatory For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364625:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint